



Diazoxide (>30%) Formulation

	Version Revision Date: 2.1 09/30/2023		ate of last issue: 04/04/2023 ate of first issue: 03/21/2019
--	--	--	---

SECTION 1. IDENTIFICATION

Product name	:	Diazoxide (>30%) Formulation
Other means of identification	:	No data available

Manufacturer or supplier's details


Company name of supplier	:	Merck & Co., Inc
Address	:	126 E. Lincoln Avenue
		Rahway, New Jersey U.S.A. 07065
Telephone	:	908-740-4000
Emergency telephone	:	1-908-423-6000
E-mail address	:	EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use	: Pharmaceutical
Restrictions on use	: Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations Reproductive toxicity : Category 1B				
Specific target organ toxicity - repeated exposure	:	Category 1 (Pancreas, Kidney, Heart)		
GHS label elements				
Hazard pictograms	:			
Signal Word	:	Danger		
Hazard Statements	:	H360D May damage the unborn child. H372 Causes damage to organs (Pancreas, Kidney, Heart) through prolonged or repeated exposure.		
Precautionary Statements	:	Prevention:		
		 P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves, protective clothing, eye protection and face protection. 		
		Response:		
		P308 + P313 IF exposed or concerned: Get medical attention.		





Diazoxide (>30%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.1	09/30/2023	4088914-00011	Date of first issue: 03/21/2019

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Diazoxide	No data availa- ble	364-98-7	>= 30 - < 60 *

^{*} Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin.
Protection of first-aiders	:	Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

according to the Hazardous Products Regulations



Vers 2.1	ion	Revision Date: 09/30/2023		9S Number: 88914-00011	Date of last issue: 04/04/2023 Date of first issue: 03/21/2019
	Notes t	o physician	:	Treat symptomation	cally and supportively.
SEC	TION 5	. FIRE-FIGHTING ME	ASU	IRES	
	Suitabl	e extinguishing media	:	Water spray Alcohol-resistant f Carbon dioxide (C Dry chemical	
	Unsuita media	able extinguishing	:	None known.	
		c hazards during fire I	:	concentrations, ar potential dust exp	dust; fine dust dispersed in air in sufficient nd in the presence of an ignition source is a losion hazard. oustion products may be a hazard to health.
	Hazard ucts	lous combustion prod-	:	Carbon oxides Chlorine compour Nitrogen oxides (N Sulfur oxides	
	Specifi ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
		l protective equipment fighters	:		e, wear self-contained breathing apparatus. ective equipment.
SECTION 6. ACCIDENTAL RELEASE MEASURES					
	tive equ	al precautions, protec- uipment and emer- procedures	:		ective equipment. ing advice (see section 7) and personal ent recommendations (see section 8).
	Enviror	nmental precautions	:	Avoid release to the Prevent further lease to	he environment. akage or spillage if safe to do so.

Environmental precautions .	Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	 Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

according to the Hazardous Products Regulations



Diazoxide (>30%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.1	09/30/2023	4088914-00011	Date of first issue: 03/21/2019

SECTION 7. HANDLING AND STORAGE


Technical measures	 Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	 Do not get on skin or clothing. Do not breathe dust. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	 Keep in properly labeled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
Materials to avoid	 Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No. Value type (Form of		Control parame- ters / Permissible	Basis
		exposure)	concentration	
Diazoxide	364-98-7	TWA	50 µg/m3 (OEB 3)	Internal
		Wipe limit	500 µg/100 cm ²	Internal

Engineering measures	: All engineering controls should be implemented by design and operated in accordance with GMP prine protect products, workers, and the environment. Containment technologies suitable for controlling c are required to control at source and to prevent might be compared to uncontrol at source (a.g., energy for the compa	ciples to compounds gration of
	the compound to uncontrolled areas (e.g., open-face	ce





Diazoxide (>30%) Formulation

Version 2.1	Revision Date: 09/30/2023	SDS Number: 4088914-00011	Date of last issue: 04/04/2023 Date of first issue: 03/21/2019		
		containment Minimize ope			
Perso	onal protective equip	ment			
Resp	iratory protection	exposure as	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.		
	lter type protection	: Particulates			
Ma	aterial	: Chemical-res	sistant gloves		
	emarks	: Consider dou			
⊨ye p	protection	If the work en mists or aero Wear a faces	glasses with side shields or goggles. hvironment or activity involves dusty conditions, sols, wear the appropriate goggles. shield or other full face protection if there is a direct contact to the face with dusts, mists, or		
Skin a	and body protection	Additional bo task being pe disposable s	n or laboratory coat. dy garments should be used based upon the erformed (e.g., sleevelets, apron, gauntlets, uits) to avoid exposed skin surfaces. ate degowning techniques to remove potentially d clothing.		
Hygie	ene measures	eye flushing working plac When using Wash contar The effective engineering appropriate o industrial hyg	b chemical is likely during typical use, provide systems and safety showers close to the e. do not eat, drink or smoke. ninated clothing before re-use. operation of a facility should include review of controls, proper personal protective equipment, degowning and decontamination procedures, giene monitoring, medical surveillance and the istrative controls.		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	white
Odor	:	No data available
Odor Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available

according to the Hazardous Products Regulations



Diazoxide (>30%) Formulation

Vers 2.1	sion	Revision Date: 09/30/2023		S Number: 88914-00011	Date of last issue: 04/04/2023 Date of first issue: 03/21/2019
	Evapor	ation rate	:	Not applicable	
	Flamma	ability (solid, gas)	:	May form explosi handling or other	ve dust-air mixture during processing, means.
	Flamma	ability (liquids)	:	Not applicable	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	pressure	:	Not applicable	
	Relative	e vapor density	:	Not applicable	
	Relative	e density	:	No data available	9
	Density	,	:	No data available)
	Solubili Wat	ty(ies) er solubility	:	No data available	9
	Partition octanol	n coefficient: n-	:	Not applicable	
		nition temperature	:	No data available)
	Decom	position temperature	:	No data available)
	Viscosi Visc	ty sosity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Not explosive	
	A			-	
		ng properties	:		r mixture is not classified as oxidizing.
	Molecu	lar weight	:	No data available	
	Particle	size	:	No data available	9

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions		Not classified as a reactivity hazard. Stable under normal conditions. May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.






ersion .1	Revision Date: 09/30/2023		S Number: 38914-00011	Date of last issue: 04/04/2023 Date of first issue: 03/21/2019
	npatible materials rdous decomposition cts	:	Avoid dust form Oxidizing agent No hazardous d	
ECTION	11. TOXICOLOGICAL I	NFC	ORMATION	
Inhala Skin o Inges	contact	ofe	exposure	
	e toxicity	h l a	.	
Not ci Produ	assified based on availa	ble	information.	
	oral toxicity	:	Acute toxicity es Method: Calcula	timate: > 2,000 mg/kg tion method
<u>Comp</u>	oonents:			
Diazo	oxide:			
Acute	oral toxicity	:	LD50 (Rat): 980	mg/kg
			LD50 (Mouse): 4	l44 mg/kg
			LD50 (Guinea pi	g): 191 mg/kg
	toxicity (other routes of nistration)	:	LD50 (Mouse): 2 Application Rout	
			LD50 (Mouse): 3 Application Rout	826 mg/kg e: Intraperitoneal
			LD50 (Rat): 510 Application Rout	mg/kg e: Intraperitoneal
-	corrosion/irritation assified based on availa	ble	information.	
	us eye damage/eye irri assified based on availa			
Resp	iratory or skin sensitiz	atio	n	
-	sensitization assified based on availa	ble	information.	
-	iratory sensitization assified based on availa	ble	information.	
	cell mutagenicity assified based on availa	ble	information.	
			7 / 12	

according to the Hazardous Products Regulations



Ver 2.1	sion	Revision Date: 09/30/2023		OS Number: 88914-00011	Date of last issue: 04/04/2023 Date of first issue: 03/21/2019
		nogenicity assified based on availa	ble	information	
	Repro	oductive toxicity lamage the unborn child			
	<u>Comp</u>	oonents:			
	Diazo				
	Effect	s on fetal development	:		
				Test Type: Develor Species: Rat Application Route Developmental To Result: Fetotoxici	e: Intravenous oxicity: LOAEL: 10 mg/kg body weight
				Test Type: Develor Species: Mouse Application Route Developmental To Result: Fetal more	e: Intraperitoneal oxicity: NOAEL: 30 mg/kg body weight
				Test Type: Develor Species: Mouse Application Route Developmental To Result: Fetal more	e: Intraperitoneal oxicity: LOAEL: 60 mg/kg body weight
				Test Type: Develor Species: Rabbit Application Route Developmental To Result: Fetal above	e: Intravenous oxicity: NOAEL: 7 mg/kg body weight
				Test Type: Develo Species: Rabbit Application Route Developmental To Result: Fetal above	e: Intravenous oxicity: LOAEL: 21 mg/kg body weight
				Test Type: Develor Species: Dog Application Route	





ersion 1	Revision Date: 09/30/2023	SDS Number: 4088914-00011	Date of last issue: 04/04/2023 Date of first issue: 03/21/2019
		Developmer Result: Feta	ntal Toxicity: NOAEL: 5 mg/kg body weight I mortality.
		Species: Do Application	Route: Intravenous ntal Toxicity: LOAEL: 10 mg/kg body weight
		Species: Mo Application Development	Development onkey Route: Intravenous ntal Toxicity: LOAEL: 5 mg/kg body weight eratogenic effects.
Repro sessn	oductive toxicity - As- nent	: May damag	e the unborn child.
STOT	-single exposure		
Not cl	assified based on avai	lable information.	
STOT	-repeated exposure		
		Pancreas, Kidney,	Heart) through prolonged or repeated exposure.
Comp	ponents:		
	vide.		
Diazo	DXIGe:		
	et Organs ssment		(idney, Heart hage to organs through prolonged or repeated
Targe Asses	et Organs	: Causes dan	•
Targe Asses Repe	et Organs ssment	: Causes dan	•
Targe Asses Repe	et Organs ssment ated dose toxicity ponents:	: Causes dan	•
Targe Asses Repe	et Organs ssment ated dose toxicity <u>conents:</u> oxide:	: Causes dan	•
Targe Asses Repe <u>Comp</u> Diazo Speci LOAE	et Organs ssment ated dose toxicity ponents: pxide: es EL	: Causes dan exposure. : Rat : 400 mg/kg	•
Targe Asses Repe Comp Diazo Speci LOAE Applic	et Organs ssment ated dose toxicity ponents: pxide: es EL cation Route	: Causes dan exposure. : Rat : 400 mg/kg : Oral	•
Targe Asses Repe Comp Diazo Speci LOAE Applic Expos	et Organs ssment ated dose toxicity ponents: pxide: es EL cation Route sure time	: Causes dan exposure. : Rat : 400 mg/kg : Oral : 2 Weeks	hage to organs through prolonged or repeated
Targe Asses Repe Comp Diazo Speci LOAE Applic Expos Targe	et Organs ssment ated dose toxicity ponents: poxide: es :L cation Route sure time et Organs	 Causes dan exposure. Rat 400 mg/kg Oral 2 Weeks Adrenal glan 	hage to organs through prolonged or repeated
Targe Asses Repe Comp Diazo Speci LOAE Applic Expos Targe Speci	et Organs ssment ated dose toxicity <u>ponents:</u> pxide: es EL cation Route sure time et Organs es	 Causes dan exposure. Rat 400 mg/kg Oral 2 Weeks Adrenal glan Rat 	nage to organs through prolonged or repeated
Targe Asses Repe Comp Diazo Speci LOAE Applic Expos Targe Speci LOAE	et Organs ssment ated dose toxicity <u>ponents:</u> pxide: es EL cation Route sure time et Organs es EL	 Causes dan exposure. Rat 400 mg/kg Oral 2 Weeks Adrenal glan Rat 1,080 mg/kg 	nage to organs through prolonged or repeated
Targe Asses Repe Comp Diazo Speci LOAE Applic Expos Targe Speci LOAE Applic	et Organs ssment ated dose toxicity ponents: pxide: es EL cation Route sure time et Organs es EL cation Route	 Causes dan exposure. Rat 400 mg/kg Oral 2 Weeks Adrenal glan Rat 1,080 mg/kg Oral Oral 	nage to organs through prolonged or repeated
Targe Asses Repe Comp Diazo Speci LOAE Applic Expos Speci LOAE Applic Expos	et Organs ssment ated dose toxicity ponents: pxide: es EL cation Route sure time et Organs es EL cation Route sure time es cure time	 Causes dan exposure. Rat 400 mg/kg Oral 2 Weeks Adrenal glan Rat 1,080 mg/kg Oral 3 Months 	nage to organs through prolonged or repeated
Targe Asses Repe Comp Diazo Speci LOAE Applic Expos Speci LOAE Applic Expos	et Organs ssment ated dose toxicity ponents: pxide: es EL cation Route sure time et Organs es EL cation Route sure time et Organs	 Causes dan exposure. Rat 400 mg/kg Oral 2 Weeks Adrenal glan Rat 1,080 mg/kg Oral Oral 	nage to organs through prolonged or repeated
Targe Asses Repe Comp Diazo Speci LOAE Applic Expos Targe Speci LOAE Applic Expos Targe Symp	et Organs ssment ated dose toxicity ponents: poxide: es EL cation Route sure time et Organs es EL cation Route sure time et Organs doments:	 Causes dan exposure. Rat 400 mg/kg Oral 2 Weeks Adrenal glan Rat 1,080 mg/kg Oral 3 Months Pancreas hyperglycer 	nage to organs through prolonged or repeated
Targe Asses Repe Comp Diazo Speci LOAE Applic Expos Targe Speci LOAE Applic Expos Targe	et Organs ssment ated dose toxicity ponents: poxide: es EL cation Route sure time et Organs es EL cation Route sure time et Organs et Organs es	 Causes dan exposure. Rat 400 mg/kg Oral 2 Weeks Adrenal glan Rat 1,080 mg/kg Oral 3 Months Pancreas hyperglycer Rat 	nage to organs through prolonged or repeated
Targe Asses Repe Comp Diazo Speci LOAE Applic Expos Targe Speci LOAE Applic Expos Targe Speci LOAE	et Organs ssment ated dose toxicity ponents: poxide: es EL cation Route sure time et Organs es EL cation Route sure time et Organs et Organs es	 Causes dan exposure. Rat 400 mg/kg Oral 2 Weeks Adrenal glan Rat 1,080 mg/kg Oral 3 Months Pancreas hyperglycer 	nage to organs through prolonged or repeated
Targe Asses Repe Diazo Speci LOAE Applic Expos Targe Speci LOAE Applic Expos Targe Symp Speci LOAE Applic Expos	et Organs ssment ated dose toxicity ponents: poxide: es EL cation Route sure time et Organs es EL cation Route sure time et Organs toms es	 Causes dan exposure. Rat 400 mg/kg Oral 2 Weeks Adrenal glan Rat 1,080 mg/kg Oral 3 Months Pancreas hyperglycer Rat 200 mg/kg Oral 52 Weeks 	nage to organs through prolonged or repeated

according to the Hazardous Products Regulations




Diazoxide (>30%) Formulation

rsion	Revision Date: 09/30/2023		DS Number: 88914-00011	Date of last issue: 04/04/2023 Date of first issue: 03/21/2019
Expo Targe		:	Dog 200 mg/kg Oral 82 Weeks Pancreas hyperglycemia	
•	ration toxicity lassified based on availa	ble	information.	
Expe	rience with human exp	osı	ıre	
<u>Com</u>	ponents:			
Diazo	oxide:			
Gene	eral Information	:		rglycemia, hypotension, Nausea, Vomiting
Inges	tion	:		iness im retention, water retention, anorexia, Ab- arrhea, tachycardia, Palpitation
	12. ECOLOGICAL INFC	DRN	MATION	
Ecot		DRN	MATION	
Ecoto <u>Com</u>	oxicity	DRM	MATION	
Ecoto <u>Com</u> Diazo	oxicity ponents:	DRI	ΜΑΤΙΟΝ	
Ecoto Com Diazo Ecoto	oxicity ponents: oxide:		MATION Toxic effects can	not be excluded
Ecoto Com Diazo Ecoto Acuto	oxicity <u>ponents:</u> oxide: oxicology Assessment	DRM : :	-	
Ecoto Com Diazo Ecoto Acuto Chron	oxicity ponents: oxide: oxicology Assessment e aquatic toxicity	:	Toxic effects can	
Ecoto Com Diazo Ecoto Acuto Chron Persi No da	oxicity ponents: oxide: oxicology Assessment e aquatic toxicity nic aquatic toxicity sistence and degradabili	:	Toxic effects can	
Ecoto Com Diazo Ecoto Acuto Chron Persi No da Bioa	oxicity ponents: oxide: oxicology Assessment e aquatic toxicity nic aquatic toxicity istence and degradabili ata available	:	Toxic effects can	
Ecoto Com Diazo Ecoto Acuto Chron Persi No da Bioao Com Diazo Partit	oxicity ponents: oxide: oxicology Assessment e aquatic toxicity nic aquatic toxicity istence and degradabili ata available ccumulative potential	:	Toxic effects can	
Ecoto Com Diazo Ecoto Acuto Chron Persi No da Bioa Diazo Partit octar Mobi	oxicity ponents: oxide: oxicology Assessment e aquatic toxicity nic aquatic toxicity istence and degradabili ata available ccumulative potential ponents: oxide: ion coefficient: n-	: : ity	Toxic effects can Toxic effects can	

Disposal methods

Waste from residues

: Do not dispose of waste into sewer.





Diazoxide (>30%) Formulation

Version 2.1	Revision Date: 09/30/2023	SDS Number: 4088914-00011	Date of last issue: 04/04/2023 Date of first issue: 03/21/2019
Conta	aminated packaging	: Empty containe handling site fo	ccordance with local regulations. ers should be taken to an approved waste r recycling or disposal. e specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

TDG Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-



according to the Hazardous Products Regulations

Diazoxide (>30%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.1	09/30/2023	4088914-00011	Date of first issue: 03/21/2019

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
Revision Date		09/30/2023

Revision Date:09/30/2023Date format:mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8