

**Diazoxide (<15%) Formulation**

Version 1.8      Revision Date: 10/01/2022      SDS Number: 4089862-00009      Date of last issue: 04/09/2022  
Date of first issue: 03/20/2019

---

**SECTION 1. IDENTIFICATION**

Product name : Diazoxide (<15%) Formulation  
Other means of identification : No data available

**Manufacturer or supplier's details**

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

**Recommended use of the chemical and restrictions on use**


Recommended use : Pharmaceutical  
Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the Hazardous Products Regulations**

Reproductive toxicity : Category 1B  
Specific target organ toxicity : Category 1 (Pancreas, Kidney, Heart)  
- repeated exposure

**GHS label elements**

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H360D May damage the unborn child.  
H372 Causes damage to organs (Pancreas, Kidney, Heart)  
through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read  
and understood.  
P260 Do not breathe dust.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves, protective clothing, eye protection  
and face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical attention.

## Diazoxide (<15%) Formulation

Version 1.8      Revision Date: 10/01/2022      SDS Number: 4089862-00009      Date of last issue: 04/09/2022  
 Date of first issue: 03/20/2019

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents and container to an approved waste disposal plant.

**Other hazards**

Dust contact with the eyes can lead to mechanical irritation.  
 Contact with dust can cause mechanical irritation or drying of the skin.  
 May form combustible dust concentrations in air during processing, handling or other means.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Diazoxide	No data available	364-98-7	>= 10 - < 30 *

\* Actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.  
 Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May damage the unborn child.  
 Causes damage to organs through prolonged or repeated exposure.  
 Contact with dust can cause mechanical irritation or drying of the skin.
- Protection of first-aiders : Dust contact with the eyes can lead to mechanical irritation.  
 First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

**Diazoxide (<15%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
1.8	10/01/2022	4089862-00009	Date of first issue: 03/20/2019

---

**SECTION 5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Chlorine compounds  
Nitrogen oxides (NO<sub>x</sub>)  
Sulfur oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
- 

**SECTION 7. HANDLING AND STORAGE**

## Diazoxide (<15%) Formulation

Version 1.8      Revision Date: 10/01/2022      SDS Number: 4089862-00009      Date of last issue: 04/09/2022  
 Date of first issue: 03/20/2019

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
 Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
 Do not breathe dust.  
 Do not swallow.  
 Avoid contact with eyes.  
 Wash skin thoroughly after handling.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Keep container tightly closed.  
 Minimize dust generation and accumulation.  
 Keep container closed when not in use.  
 Keep away from heat and sources of ignition.  
 Take precautionary measures against static discharges.  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
 Store locked up.  
 Keep tightly closed.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Self-reactive substances and mixtures  
 Organic peroxides  
 Explosives  
 Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Diazoxide	364-98-7	TWA	50 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	500 µg/100 cm <sup>2</sup>	Internal

- Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
 Minimize open handling.

#### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or

## Diazoxide (<15%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
1.8	10/01/2022	4089862-00009	Date of first issue: 03/20/2019

---

Filter type	:	exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Hand protection	:	Particulates type
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	white
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form combustible dust concentrations in air during processing, handling or other means.

**Diazoxide (<15%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
1.8	10/01/2022	4089862-00009	Date of first issue: 03/20/2019

---

Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form combustible dust concentrations in air during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

**Diazoxide (<15%) Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04/09/2022  
1.8                10/01/2022                4089862-00009            Date of first issue: 03/20/2019

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity                                : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

**Components:****Diazoxide:**

Acute oral toxicity                                : LD50 (Rat): 980 mg/kg  
  
LD50 (Mouse): 444 mg/kg  
  
LD50 (Guinea pig): 191 mg/kg  
  
Acute toxicity (other routes of : LD50 (Mouse): 228 mg/kg  
administration)                                Application Route: Intravenous  
  
LD50 (Mouse): 326 mg/kg  
Application Route: Intraperitoneal  
  
LD50 (Rat): 510 mg/kg  
Application Route: Intraperitoneal

**Skin corrosion/irritation**

Not classified based on available information.

**Serious eye damage/eye irritation**

Not classified based on available information.

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

May damage the unborn child.

**Diazoxide (<15%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
1.8	10/01/2022	4089862-00009	Date of first issue: 03/20/2019

---

**Components:****Diazoxide:**

Effects on fetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 30 mg/kg body weight  
Result: Effects on fetal development., Fetal abnormalities.

Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 100 mg/kg body weight  
Result: Effects on fetal development., Fetal abnormalities.

Test Type: Development  
Species: Rat  
Application Route: Intravenous  
Developmental Toxicity: LOAEL: 10 mg/kg body weight  
Result: Fetotoxicity.

Test Type: Development  
Species: Mouse  
Application Route: Intraperitoneal  
Developmental Toxicity: NOAEL: 30 mg/kg body weight  
Result: Fetal mortality.

Test Type: Development  
Species: Mouse  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 60 mg/kg body weight  
Result: Fetal mortality.

Test Type: Development  
Species: Rabbit  
Application Route: Intravenous  
Developmental Toxicity: NOAEL: 7 mg/kg body weight  
Result: Fetal abnormalities.

Test Type: Development  
Species: Rabbit  
Application Route: Intravenous  
Developmental Toxicity: LOAEL: 21 mg/kg body weight  
Result: Fetal abnormalities.

Test Type: Development  
Species: Dog  
Application Route: Intravenous  
Developmental Toxicity: NOAEL: 5 mg/kg body weight  
Result: Fetal mortality.

Test Type: Development  
Species: Dog  
Application Route: Intravenous  
Developmental Toxicity: LOAEL: 10 mg/kg body weight



## Diazoxide (<15%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
1.8	10/01/2022	4089862-00009	Date of first issue: 03/20/2019

---

Result: Fetal mortality.

Test Type: Development  
 Species: Monkey  
 Application Route: Intravenous  
 Developmental Toxicity: LOAEL: 5 mg/kg body weight  
 Result: No teratogenic effects.

Reproductive toxicity - Assessment : May damage the unborn child.

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Causes damage to organs (Pancreas, Kidney, Heart) through prolonged or repeated exposure.

### Components:

#### Diazoxide:

Target Organs : Pancreas, Kidney, Heart  
 Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### Diazoxide:

Species : Rat  
 LOAEL : 400 mg/kg  
 Application Route : Oral  
 Exposure time : 2 Weeks  
 Target Organs : Adrenal gland

Species : Rat  
 LOAEL : 1,080 mg/kg  
 Application Route : Oral  
 Exposure time : 3 Months  
 Target Organs : Pancreas  
 Symptoms : hyperglycemia

Species : Rat  
 LOAEL : 200 mg/kg  
 Application Route : Oral  
 Exposure time : 52 Weeks  
 Target Organs : Heart, Liver, Adrenal gland, Thyroid

Species : Dog  
 NOAEL : 200 mg/kg  
 Application Route : Oral  
 Exposure time : 82 Weeks  
 Target Organs : Pancreas  
 Symptoms : hyperglycemia

**Diazoxide (<15%) Formulation**

Version 1.8      Revision Date: 10/01/2022      SDS Number: 4089862-00009      Date of last issue: 04/09/2022  
Date of first issue: 03/20/2019

---

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Diazoxide:**

General Information : Symptoms: hyperglycemia, hypotension, Nausea, Vomiting, Dizziness, Weakness  
Ingestion : Symptoms: sodium retention, water retention, anorexia, Abdominal pain, Diarrhea, tachycardia, Palpitation

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Diazoxide:****Ecotoxicology Assessment**

Acute aquatic toxicity : Toxic effects cannot be excluded  
Chronic aquatic toxicity : Toxic effects cannot be excluded

**Persistence and degradability**

No data available

**Bioaccumulative potential****Components:****Diazoxide:**

Partition coefficient: n-octanol/water : log Pow: 1.2

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations**

**Diazoxide (<15%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
1.8	10/01/2022	4089862-00009	Date of first issue: 03/20/2019

---

**UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****TDG**

Not regulated as a dangerous good

**Special precautions for user**

Not applicable

---

**SECTION 15. REGULATORY INFORMATION****The ingredients of this product are reported in the following inventories:**

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

---

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

**Diazoxide (<15%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
1.8	10/01/2022	4089862-00009	Date of first issue: 03/20/2019

---

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 10/01/2022  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8