

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
10.1	2025/04/14	86838-00029	Date of first issue: 2015/04/01

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Efavirenz Liquid Formulation

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.
Menuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : 1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS classification of chemical product**

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 2 (Central nervous system, Skin)

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H360D May damage the unborn child.
H373 May cause damage to organs (Central nervous system, Skin) through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
10.1	2025/04/14	86838-00029	Date of first issue: 2015/04/01

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapours.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Efavirenz	154598-52-4	$\geq 2.5 - < 10$	-
Propylene glycol	57-55-6	$\geq 0.1 - < 1$	2-234
Ethyl acetate	141-78-6	< 0.1	2-726
Benzyl alcohol	100-51-6	< 0.1	3-1011

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
10.1	2025/04/14	86838-00029	Date of first issue: 2015/04/01

In case of eye contact	:	Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
If swallowed	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May damage the unborn child. May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
10.1	2025/04/14	86838-00029	Date of first issue: 2015/04/01

barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE**Handling**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

Storage

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
10.1	2025/04/14	86838-00029	2024/09/28
			Date of first issue: 2015/04/01

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Concentration standard / Permissible concentration	Basis
Efavirenz	154598-52-4	TWA	100 µg/m ³	Internal
Ethyl acetate	141-78-6	ACL	200 ppm	JP OEL ISHL
		OEL-M	200 ppm 720 mg/m ³	JP OEL JSOH
		TWA	400 ppm	ACGIH
Benzyl alcohol	100-51-6	OEL-C	25 mg/m ³	JP OEL JSOH
Further information: Skin sensitizing agent; Group 2 substances which probably induce allergic reactions in humans.				

Engineering measures : Minimize workplace exposure concentrations.
If sufficient ventilation is unavailable, use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
10.1	2025/04/14	86838-00029	Date of first issue: 2015/04/01

clothing (gloves, aprons, boots, etc).

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	liquid
Colour	:	white to off-white
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point, initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Lower explosion limit and upper explosion limit / flammability limit	:	
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Decomposition temperature	:	No data available
pH	:	No data available
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available
Density and / or relative density	:	
Density	:	No data available

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
10.1	2025/04/14	86838-00029	Date of first issue: 2015/04/01

Relative vapour density	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
---------------------	---	--

Components:**Efavirenz:**

Acute oral toxicity	:	LD50 (Rat, female): 419 mg/kg LDLo (Rat, male): 1,000 mg/kg
---------------------	---	--

Propylene glycol:

Acute oral toxicity	:	LD50 (Rat): 22,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 44.9 mg/l

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
10.1	2025/04/14	86838-00029	Date of first issue: 2015/04/01

Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Ethyl acetate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 22.5 mg/l
Exposure time: 6 h
Test atmosphere: vapour
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 20,000 mg/kg

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:**Efavirenz:**

Result : Mild skin irritation
Remarks : slight irritation

Propylene glycol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Ethyl acetate:

Species : Rabbit
Result : No skin irritation

Assessment : Repeated exposure may cause skin dryness or cracking.

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
10.1	2025/04/14	86838-00029	Date of first issue: 2015/04/01

Benzyl alcohol:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Efavirenz:**

Remarks	:	Moderate eye irritation
---------	---	-------------------------

Propylene glycol:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Ethyl acetate:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Benzyl alcohol:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Efavirenz:**

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Result	:	negative

Propylene glycol:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
10.1	2025/04/14	86838-00029	Date of first issue: 2015/04/01

Result : negative

Ethyl acetate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Benzyl alcohol:

Test Type : Human repeat insult patch test (HRIPT)
Exposure routes : Skin contact
Species : Humans
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

Germ cell mutagenicity

Not classified based on available information.

Components:**Efavirenz:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Oral
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Propylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
10.1	2025/04/14	86838-00029	Date of first issue: 2015/04/01

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Ethyl acetate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Hamster
Application Route: Ingestion
Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Efavirenz:**

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Target Organs : Lungs, Liver
Remarks : The mechanism or mode of action may not be relevant in humans.

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
10.1	2025/04/14	86838-00029	Date of first issue: 2015/04/01

Propylene glycol:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 2 Years
Result	: negative

Benzyl alcohol:

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 103 weeks
Method	: OECD Test Guideline 451
Result	: negative

Reproductive toxicity

May damage the unborn child.

Components:**Efavirenz:**

Effects on fertility	: Species: Rat, male and female Application Route: Oral Fertility: NOAEL: 200 - 400 mg/kg body weight Result: No effects on fertility and early embryonic development were detected.
----------------------	---

Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 50 mg/kg body weight Result: Embryo-foetal toxicity
-------------------------------	--

Test Type: Embryo-foetal development
Species: Monkey
Application Route: Oral
Developmental Toxicity: LOAEL: 60 mg/kg body weight
Symptoms: Malformations were observed.

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 75 mg/kg body weight
Result: No embryotoxic effects

Reproductive toxicity - Assessment	: Clear evidence of adverse effects on development, based on animal experiments.
------------------------------------	--

Propylene glycol:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion
----------------------	---

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
10.1	2025/04/14	86838-00029	Date of first issue: 2015/04/01

Result: negative

Effects on foetal development

: Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative

Ethyl acetate:

Effects on fertility

: Test Type: Two-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Species: Rat
Application Route: inhalation (vapour)
Result: negative

Effects on foetal development

: Test Type: Embryo-foetal development
Species: Rat
Application Route: Inhalation
Result: negative
Remarks: Based on data from similar materials

Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Benzyl alcohol:

Effects on fertility

: Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development

: Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative

STOT - single exposure

Not classified based on available information.

Components:**Ethyl acetate:**

Assessment : May cause drowsiness or dizziness.

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
10.1	2025/04/14	86838-00029	Date of first issue: 2015/04/01

STOT - repeated exposure

May cause damage to organs (Central nervous system, Skin) through prolonged or repeated exposure.

Components:**Efavirenz:**

Target Organs	:	Central nervous system
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Efavirenz:**

Species	:	Rat
LOAEL	:	50 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Kidney

Species	:	Monkey
LOAEL	:	100 mg/kg
Application Route	:	Oral
Exposure time	:	1 - 2 yr
Target Organs	:	Central nervous system, Liver, Kidney, Thyroid, Adrenal gland

Species	:	Monkey
LOAEL	:	90 mg/kg
Application Route	:	Oral
Exposure time	:	1 Months
Target Organs	:	Central nervous system
Symptoms	:	Lethargy, Weakness

Propylene glycol:

Species	:	Rat, male
NOAEL	:	$\geq 1,700$ mg/kg
Application Route	:	Ingestion
Exposure time	:	2 yr

Ethyl acetate:

Species	:	Rat
NOAEL	:	900 mg/kg
LOAEL	:	3,600 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

Species	:	Rat
NOAEL	:	1.28 mg/l
LOAEL	:	2.75 mg/kg

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
10.1	2025/04/14	86838-00029	Date of first issue: 2015/04/01

Application Route : inhalation (vapour)
Exposure time : 94 Days

Benzyl alcohol:

Species : Rat
NOAEL : 1.072 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 28 Days
Method : OECD Test Guideline 412

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Efavirenz:**

Ingestion : Target Organs: Skin
Symptoms: Rash

Target Organs: Central nervous system
Symptoms: Dizziness, insomnia

Target Organs: Heart
Symptoms: irregular heart beat

Ethyl acetate:

Eye contact : Target Organs: Eye
Symptoms: Irritation

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Efavirenz:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.85 mg/l
Exposure time: 96 h
Method: FDA 4.11

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1.1 mg/l
aquatic invertebrates Exposure time: 48 h
Method: FDA 4.08

Toxicity to algae/aquatic : NOEC (Selenastrum capricornutum (green algae)): 0.026 mg/l
plants Exposure time: 12 d
Method: FDA 4.01

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
10.1	2025/04/14	86838-00029	Date of first issue: 2015/04/01

NOEC (*Microcystis aeruginosa* (blue-green algae)): 0.76 mg/l
 Exposure time: 12 d
 Method: FDA 4.01

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 0.066 mg/l
 Exposure time: 33 d
 Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.16 mg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

Propylene glycol:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 40,613 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Ceriodaphnia dubia* (water flea)): 18,340 mg/l
 Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (*Skeletonema costatum* (marine diatom)): 19,300 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Ceriodaphnia dubia* (water flea)): 13,020 mg/l
 Exposure time: 7 d

Toxicity to microorganisms : NOEC (*Pseudomonas putida*): > 20,000 mg/l
 Exposure time: 18 h

Ethyl acetate:

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 220 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 3,090 mg/l
 Exposure time: 24 h
 Method: DIN 38412

Toxicity to algae/aquatic plants : NOEC (*Desmodesmus subspicatus* (green algae)): > 100 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): > 1 - 9.65 mg/l
 Exposure time: 32 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 2.4 mg/l
 Exposure time: 24 d

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
10.1	2025/04/14	86838-00029	Date of first issue: 2015/04/01

ic toxicity)

Toxicity to microorganisms : EC10 (Photobacterium phosphoreum): 1,650 mg/l
Exposure time: 0.25 h

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 230 mg/l
aquatic invertebrates Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 770
plants mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310
mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 51 mg/l
aquatic invertebrates (Chronic toxicity) Exposure time: 21 d
Method: OECD Test Guideline 211

Persistence and degradability**Components:****Efavirenz:**

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 11 %
Exposure time: 32 d
Method: FDA 3.11

Propylene glycol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 98.3 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Ethyl acetate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 69 %
Exposure time: 20 d

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
10.1	2025/04/14	86838-00029	Date of first issue: 2015/04/01

Biodegradation: 92 - 96 %
Exposure time: 14 d

Bioaccumulative potential**Components:****Efavirenz:**

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): 454
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 5.4

Propylene glycol:

Partition coefficient: n-octanol/water : log Pow: -1.07
Method: Regulation (EC) No. 440/2008, Annex, A.8

Ethyl acetate:

Bioaccumulation : Species: *Leuciscus idus* (Golden orfe)
Bioconcentration factor (BCF): 30

Partition coefficient: n-octanol/water : log Pow: 0.68

Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1.05

Mobility in soil**Components:****Efavirenz:**

Distribution among environmental compartments : log K_{oc}: 3.36
Method: FDA 3.08

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
10.1	2025/04/14	86838-00029	Date of first issue: 2015/04/01

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Efavirenz)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Efavirenz)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Efavirenz)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code	:	171
-----------------	---	-----

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
10.1	2025/04/14	86838-00029	Date of first issue: 2015/04/01

15. REGULATORY INFORMATION**Related Regulations****Fire Service Law**

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
Propane-1,2-diol	106
Ethyl acetate	278

Industrial Safety and Health Law**Harmful Substances Prohibited from Manufacture**

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Not applicable

Substances Subject to be Indicated Names

Not applicable

Skin and Eye Damage Substances (ISHL MO Art. 594-2)

Not applicable

Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
10.1	2025/04/14	86838-00029	Date of first issue: 2015/04/01

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION**Further information**

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
10.1	2025/04/14	86838-00029	Date of first issue: 2015/04/01

compile the Safety Data Sheet

eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
 JP OEL ISHL : Japan. Administrative Control Levels
 JP OEL JSOH : Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average
 JP OEL ISHL / ACL : Administrative Control level
 JP OEL JSOH / OEL-M : Occupational Exposure Limit-Mean
 JP OEL JSOH / OEL-C : Occupational Exposure Limit-Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text.

Efavirenz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
10.1	2025/04/14	86838-00029	Date of first issue: 2015/04/01

Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN