

Fosaprepitant Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.12	16.10.2020	23892-00016	Date of first issue: 21.10.2014

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Fosaprepitant Formulation

Manufacturer or supplier's details

Company : MSD

Address : 26 Talavera Road, Talavera Corp Centre, Macquarie Park
New South Wales, 2113 Australia

Telephone : (61)-02-8988-8000

Emergency telephone number : (61)-02-8988-8000

E-mail address : EHSDATASTEWARD@msd.com

Telefax : 908-735-1496

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 2A

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Reproductive organs, Prostate)

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H373 May cause damage to organs (Reproductive organs, Prostate) through prolonged or repeated exposure if swallowed.

Precautionary statements : **Prevention:**
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.

Fosaprepitant Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.12	16.10.2020	23892-00016	Date of first issue: 21.10.2014

P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314 Get medical advice/ attention if you feel unwell.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Fosaprepitant	265121-04-8	≥ 30 - < 60
Disodium EDTA, dihydrate	6381-92-6	< 10

SECTION 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	: If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.

Fosaprepitant Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.12	16.10.2020	23892-00016	Date of first issue: 21.10.2014

Most important symptoms and effects, both acute and delayed	:	Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO _x) Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Hazchem Code	:	2Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces)

Fosaprepitant Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.12	16.10.2020	23892-00016	Date of first issue: 21.10.2014

with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- | | | |
|-----------------------------|---|---|
| Technical measures | : | Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Local/Total ventilation | : | Use only with adequate ventilation. |
| Advice on safe handling | : | Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use. |
| Conditions for safe storage | : | Keep in properly labelled containers.
Store in accordance with the particular national regulations. |
| Materials to avoid | : | Do not store with the following product types:
Strong oxidizing agents |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Fosaprepitant	265121-04-8	TWA	200 µg/m ³	Internal

- | | | |
|-----------------------------|---|--|
| Engineering measures | : | Ensure adequate ventilation, especially in confined areas. |
|-----------------------------|---|--|

Fosaprepitant Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.12	16.10.2020	23892-00016	Date of first issue: 21.10.2014

Minimize workplace exposure concentrations.
Apply measures to prevent dust explosions.
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : off-white

Odour : odourless

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Fosaprepitant Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.12	16.10.2020	23892-00016	Date of first issue: 21.10.2014

Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Fosaprepitant Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.12	16.10.2020	23892-00016	Date of first issue: 21.10.2014

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,454 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:**Fosaprepitant:**

Acute oral toxicity : LD50 (Rat, female): > 500 mg/kg
LD50 (Mouse, female): > 500 mg/kg

Disodium EDTA, dihydrate:

Acute oral toxicity : LD50 (Rat): 2,800 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 1 mg/l
Exposure time: 6 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 412
Remarks: Based on data from similar materials

Skin corrosion/irritation

Causes skin irritation.

Components:**Fosaprepitant:**

Species : Rabbit
Result : Skin irritation

Disodium EDTA, dihydrate:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye irritation.

Fosaprepitant Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.12	16.10.2020	23892-00016	Date of first issue: 21.10.2014

Components:**Fosaprepitant:**

Species	:	Bovine cornea
Result	:	Eye irritation

Disodium EDTA, dihydrate:

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Disodium EDTA, dihydrate:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**Fosaprepitant:**

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Test system: human lymphoblastoid cells Result: negative
-----------------------	---	--

	:	Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells Result: negative
--	---	--

	:	Test Type: in vitro assay Test system: rat hepatocytes Result: negative
--	---	---

Genotoxicity in vivo	:	Test Type: In vivo micronucleus test Species: Mouse Cell type: Bone marrow Result: negative
----------------------	---	--

Disodium EDTA, dihydrate:

Fosaprepitant Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.12	16.10.2020	23892-00016	Date of first issue: 21.10.2014

Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

Fosaprepitant:

Species	:	Rat, female
Application Route	:	Oral
Exposure time	:	2 Years
	:	50 mg/kg body weight
Target Organs	:	Liver
Remarks	:	Benign tumor(s)
Species	:	Rat, male and female
Application Route	:	Oral
Exposure time	:	2 Years
	:	250 mg/kg body weight
Target Organs	:	Liver, Thyroid
Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen

Disodium EDTA, dihydrate:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	103 weeks
Result	:	negative
Remarks	:	Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

Fosaprepitant:

Effects on fertility	:	Test Type: Fertility/early embryonic development Species: Rat, male and female Fertility: NOAEL: 2,000 mg/kg body weight Result: negative
Effects on foetal development	:	Species: Rat, female General Toxicity Maternal: NOAEL: 2,000 mg/kg body weight

Fosaprepitant Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.12	16.10.2020	23892-00016	Date of first issue: 21.10.2014

Result: negative

Species: Rabbit, female

General Toxicity Maternal: NOAEL: 25 mg/kg body weight

Result: negative

Disodium EDTA, dihydrate:

Effects on fertility : Test Type: Four-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Reproductive organs, Prostate) through prolonged or repeated exposure if swallowed.

Components:**Fosaprepitant:**

Exposure routes : Ingestion
Target Organs : Reproductive organs, Prostate
Assessment : May cause damage to organs through prolonged or repeated exposure.

Disodium EDTA, dihydrate:

Exposure routes : inhalation (dust/mist/fume)
Target Organs : Respiratory Tract
Assessment : Shown to produce significant health effects in animals at concentrations of >0.02 to 0.2 mg/l/6h/d.

Repeated dose toxicity**Components:****Fosaprepitant:**

Species : Rat, male and female
NOAEL : 2,000 mg/kg
Application Route : Oral
Exposure time : 6 Months
Target Organs : Liver, Thyroid

Species : Dog
LOAEL : 50 mg/kg

Fosaprepitant Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.12	16.10.2020	23892-00016	Date of first issue: 21.10.2014

Application Route	:	Oral
Exposure time	:	9 Months
Target Organs	:	Testis
Species	:	Dog
NOAEL	:	32 mg/kg
Application Route	:	Oral
Exposure time	:	1 yr
Remarks	:	No significant adverse effects were reported
Species	:	Rat
NOAEL	:	4 mg/kg
Application Route	:	Intravenous
Exposure time	:	5 Weeks
Remarks	:	No significant adverse effects were reported
Species	:	Dog
NOAEL	:	10 mg/kg
Application Route	:	Intravenous
Exposure time	:	5 Weeks
Remarks	:	No significant adverse effects were reported

Disodium EDTA, dihydrate:

Species	:	Rat
NOAEL	:	500 mg/kg
Application Route	:	Ingestion
Exposure time	:	13 Weeks
Remarks	:	Based on data from similar materials
Species	:	Rat
LOAEL	:	0.03 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	4 Weeks
Remarks	:	Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Fosaprepitant:**

Ingestion	:	Symptoms: hiccups, Fatigue, liver function change, constipation, Headache, anorexia
-----------	---	---

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Fosaprepitant:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 0.462 mg/l
------------------	---	---

Fosaprepitant Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.12	16.10.2020	23892-00016	Date of first issue: 21.10.2014

Exposure time: 96 h
 Method: OECD Test Guideline 203
 Remarks: No toxicity at the limit of solubility
 Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 0.345 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202
 Remarks: No toxicity at the limit of solubility
 Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (*Pseudokirchneriella subcapitata* (green algae)): 0.184 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 Remarks: No toxicity at the limit of solubility
 Based on data from similar materials

EC50 (*Pseudokirchneriella subcapitata* (green algae)): > 0.184 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 Remarks: No toxicity at the limit of solubility
 Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 0.195 mg/l
 Exposure time: 32 Days
 Method: OECD Test Guideline 210
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.018 mg/l
 Exposure time: 21 Days
 Method: OECD Test Guideline 211
 Remarks: Based on data from similar materials

Disodium EDTA, dihydrate:

Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 159 mg/l
 Exposure time: 96 h
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 140 mg/l
 Exposure time: 48 h
 Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (*Desmodesmus subspicatus* (green algae)): > 100 mg/l
 Exposure time: 72 h
 Remarks: Based on data from similar materials

NOEC (*Desmodesmus subspicatus* (green algae)): 100 mg/l
 Exposure time: 72 h
 Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (*Danio rerio* (zebra fish)): 25.7 mg/l
 Exposure time: 35 d

Fosaprepitant Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.12	16.10.2020	23892-00016	Date of first issue: 21.10.2014

Method: OECD Test Guideline 210
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 25 mg/l
Exposure time: 21 d
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: < 500 mg/l
Exposure time: 0.5 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

Persistence and degradability**Components:****Fosaprepitant:**

Biodegradability : Result: not rapidly degradable
Method: OECD Test Guideline 314

Disodium EDTA, dihydrate:

Biodegradability : Result: Inherently biodegradable.
Biodegradation: 80 - 90 %
Exposure time: 28 d
Remarks: Based on data from similar materials

Bioaccumulative potential**Components:****Fosaprepitant:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 50.1
Method: OECD Test Guideline 305
Remarks: Based on data from similar materials

Disodium EDTA, dihydrate:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 1.8
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: -4.3

Mobility in soil

No data available

Other adverse effects

No data available

Fosaprepitant Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.12	16.10.2020	23892-00016	Date of first issue: 21.10.2014

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Fosaprepitant)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Fosaprepitant)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Fosaprepitant)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**ADG**

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Fosaprepitant)
Class : 9

Fosaprepitant Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.12	16.10.2020	23892-00016	Date of first issue: 21.10.2014

Packing group : III
Labels : 9
Hazchem Code : 2Z

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

SECTION 16. OTHER INFORMATION**Further information**

Revision Date : 16.10.2020
Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>
Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-

Fosaprepitant Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.12	16.10.2020	23892-00016	Date of first issue: 21.10.2014

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN