

**Olmesartan / Amlodipine Besylate / Hydrochlorothiazide Formulation**

Version 1.0      Revision Date: 07.10.2019      SDS Number: 4944955-00001      Date of last issue: -  
Date of first issue: 07.10.2019

---

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Olmesartan / Amlodipine Besylate / Hydrochlorothiazide Formulation

**Manufacturer or supplier's details**

Company : MSD  
Address : Rua Treze de Maio, 1161  
Campinas, São Paulo, Brazil 13106-054  
Telephone : 908-740-4000  
Emergency telephone : 55 19 3758 2000  
E-mail address : EHSDATASTEWARD@msd.com  
Telefax : 908-735-1496

**Recommended use of the chemical and restrictions on use**



Recommended use : Pharmaceutical

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification in accordance with ABNT NBR 14725 Standard**

Acute toxicity (Oral) : Category 5  
Eye irritation : Category 2A  
Reproductive toxicity : Category 1A  
Specific target organ toxicity - repeated exposure : Category 1 (Kidney, Parathyroid gland)  
Short-term (acute) aquatic hazard : Category 3  
Long-term (chronic) aquatic hazard : Category 3

**GHS label elements in accordance with ABNT NBR 14725 Standard**

Hazard pictograms :  

Signal Word : Danger

Hazard Statements : H303 May be harmful if swallowed.

---

# Olmesartan / Amlodipine Besylate / Hydrochlorothiazide Formulation

Version 1.0      Revision Date: 07.10.2019      SDS Number: 4944955-00001      Date of last issue: -  
Date of first issue: 07.10.2019

H319 Causes serious eye irritation.  
H360D May damage the unborn child.  
H372 Causes damage to organs (Kidney, Parathyroid gland) through prolonged or repeated exposure.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P260 Do not breathe dust.  
P264 Wash skin thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P312 Call a POISON CENTER/doctor if you feel unwell.

### Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Cellulose	9004-34-6		>= 30 -< 50
Starch	9005-25-8		>= 30 -< 50
Olmesartan	144689-63-4	Acute toxicity (Oral), Category 4 Eye irritation, Category 2B Reproductive toxicity, Category 1A	>= 10 -< 20
Hydrochlorothiazide	58-93-5	Specific target organ toxicity - repeated exposure (Kidney, Parathyroid gland), Category 1	>= 5 -< 10
Amlodipine Besylate	652969-01-2	Acute toxicity (Oral), Category 4 Eye irritation, Category 2A Short-term (acute) aquatic hazard, Category 2 Long-term (chronic) aquatic hazard, Category 2	>= 2,5 -< 5

## Olmesartan / Amlodipine Besylate / Hydrochlorothiazide Formulation

Version 1.0	Revision Date: 07.10.2019	SDS Number: 4944955-00001	Date of last issue: - Date of first issue: 07.10.2019
----------------	------------------------------	------------------------------	--

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May be harmful if swallowed.  
Causes serious eye irritation.  
May damage the unborn child.  
Causes damage to organs through prolonged or repeated exposure.  
Contact with dust can cause mechanical irritation or drying of the skin.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Chlorine compounds  
Sulfur oxides

## Olmesartan / Amlodipine Besylate / Hydrochlorothiazide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.10.2019	4944955-00001	Date of first issue: 07.10.2019

---

- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice and personal protective equipment recommendations.
- Environmental precautions : Discharge into the environment must be avoided.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
- 

### SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust.  
Do not swallow.  
Do not get in eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Minimize dust generation and accumulation.

# Olmesartan / Amlodipine Besylate / Hydrochlorothiazide Formulation

Version 1.0      Revision Date: 07.10.2019      SDS Number: 4944955-00001      Date of last issue: -  
Date of first issue: 07.10.2019

- Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage** : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid** : Do not store with the following product types:  
Strong oxidizing agents  
Organic peroxides  
Explosives  
Gases

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	ACGIH
Starch	9005-25-8	TWA	10 mg/m <sup>3</sup>	ACGIH
Olmesartan	144689-63-4	TWA	30 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	300 µg/100 cm <sup>2</sup>	Internal
Hydrochlorothiazide	58-93-5	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
Amlodipine Besylate	652969-01-2	TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

- Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

### Personal protective equipment

- Respiratory protection** : If adequate local exhaust ventilation is not available or

## Olmesartan / Amlodipine Besylate / Hydrochlorothiazide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.10.2019	4944955-00001	Date of first issue: 07.10.2019

---

Filter type	:	exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Hand protection	:	Particulates type
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable

**Olmesartan / Amlodipine Besylate / Hydrochlorothiazide Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.10.2019	4944955-00001	Date of first issue: 07.10.2019

---

Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

**Acute toxicity**

May be harmful if swallowed.

**Product:**

Acute oral toxicity	:	Acute toxicity estimate: 4.839 mg/kg Method: Calculation method
---------------------	---	--

---

**Olmesartan / Amlodipine Besylate / Hydrochlorothiazide Formulation**

Version 1.0      Revision Date: 07.10.2019      SDS Number: 4944955-00001      Date of last issue: -  
Date of first issue: 07.10.2019

---

**Components:****Cellulose:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 5,8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

**Starch:**

Acute oral toxicity : LD50 (Mouse): > 5.000 mg/kg

**Olmesartan:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
LD50 (Mouse): > 2.000 mg/kg  
LD50 (Dog): > 1.500 mg/kg  
Acute inhalation toxicity : Remarks: No data available  
Acute dermal toxicity : Remarks: No data available

**Hydrochlorothiazide:**

Acute oral toxicity : LD50 (Rat): 10.000 mg/kg  
LD50 (Mouse): 10.000 mg/kg  
Acute toxicity (other routes of administration) : LD50 (Rat): 990 mg/kg  
Application Route: Intravenous  
LD50 (Dog): 250 mg/kg  
Application Route: Intravenous

**Amlodipine Besylate:**

Acute oral toxicity : LD50 (Rat): 393 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Olmesartan:**

Remarks : No data available

**Hydrochlorothiazide:**



**Olmesartan / Amlodipine Besylate / Hydrochlorothiazide Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.10.2019	4944955-00001	Date of first issue: 07.10.2019

---

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****Olmesartan:**

Species : Rabbit  
Result : Moderate eye irritation  
Method : Draize Test

**Hydrochlorothiazide:**

Species : Rabbit  
Result : Mild eye irritation

**Amlodipine Besylate:**

Species : Rabbit  
Result : Severe irritation

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Olmesartan:**

Routes of exposure : Skin contact  
Remarks : No data available

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Cellulose:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
  
Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
  
Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Olmesartan / Amlodipine Besylate / Hydrochlorothiazide Formulation**

Version 1.0      Revision Date: 07.10.2019      SDS Number: 4944955-00001      Date of last issue: -  
Date of first issue: 07.10.2019

---

**Olmesartan:**

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative
- Test Type: Mutagenicity (in vitro mammalian cytogenetic test)  
Result: negative
- Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster lung cells  
Result: positive
- Test Type: Mouse Lymphoma  
Result: negative
- Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative
- Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Hydrochlorothiazide:**

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative
- Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative
- Test Type: sister chromatid exchange assay  
Test system: Chinese hamster ovary cells  
Result: positive
- Test Type: in vitro test  
Test system: mouse lymphoma cells  
Result: positive
- Genotoxicity in vivo : Test Type: Chromosomal aberration  
Species: Chinese hamster  
Cell type: Bone marrow  
Result: negative
- Test Type: in vivo assay  
Species: Mouse  
Cell type: Bone marrow  
Result: negative
- Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Olmesartan / Amlodipine Besylate / Hydrochlorothiazide Formulation**

Version 1.0      Revision Date: 07.10.2019      SDS Number: 4944955-00001      Date of last issue: -  
Date of first issue: 07.10.2019

---

**Amlodipine Besylate:**

Genotoxicity in vitro      :    Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Cellulose:**

Species                        :    Rat  
Application Route            :    Ingestion  
Exposure time                :    72 weeks  
Result                         :    negative

**Olmesartan:**

Species                        :    Rat  
Application Route            :    Oral  
Exposure time                :    2 Years  
Result                         :    negative

Species                        :    Mouse  
Application Route            :    Oral  
Exposure time                :    6 Months  
Result                         :    negative

**Hydrochlorothiazide:**

Species                        :    Mouse, female  
Application Route            :    Oral  
Exposure time                :    2 Years  
Result                         :    negative

Species                        :    Mouse, male  
Application Route            :    Oral  
Exposure time                :    2 Years  
Result                         :    equivocal

Species                        :    Rat, male and female  
Application Route            :    Oral  
Exposure time                :    2 Years  
Result                         :    negative

**Amlodipine Besylate:**

Species                        :    Mouse  
Application Route            :    Oral  
Exposure time                :    2 Years

## Olmesartan / Amlodipine Besylate / Hydrochlorothiazide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.10.2019	4944955-00001	Date of first issue: 07.10.2019

---

Result : negative

Species : Rat  
 Application Route : Oral  
 Exposure time : 2 Years  
 Result : negative

### Reproductive toxicity

May damage the unborn child.

### Components:

#### Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

#### Olmesartan:

Effects on fertility : Test Type: Fertility  
 Species: Rat  
 Application Route: Oral  
 Fertility: NOAEL: 1.000 mg/kg body weight  
 Result: No effects on fertility.

Effects on fetal development : Test Type: Development  
 Species: Rat  
 Application Route: Oral  
 Dose: 1000 milligram per kilogram  
 Result: No teratogenic effects.

Test Type: Development  
 Species: Rabbit  
 Application Route: Oral  
 Dose: 1 milligram per kilogram  
 Result: No teratogenic effects.

Test Type: Development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: >= 1,6 mg/kg body weight  
 Symptoms: Malformations were observed., Reduced body weight  
 Result: Effects on postnatal development.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

**Olmesartan / Amlodipine Besylate / Hydrochlorothiazide Formulation**

Version 1.0      Revision Date: 07.10.2019      SDS Number: 4944955-00001      Date of last issue: -  
Date of first issue: 07.10.2019

---

**Hydrochlorothiazide:**

## Effects on fertility

: Test Type: Fertility  
Species: Rat, male and female  
Application Route: oral (feed)  
Fertility: NOAEL: 4 mg/kg body weight  
Result: Effects on fertility.

Test Type: Fertility  
Species: Mouse, male and female  
Application Route: oral (feed)  
Fertility: NOAEL: 100 mg/kg body weight  
Result: Effects on fertility.

## Effects on fetal development

: Test Type: Development  
Species: Mouse  
Application Route: Oral  
Developmental Toxicity: NOAEL: 3.000 mg/kg body weight  
Result: No teratogenic effects.

Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 1.000 mg/kg body weight  
Result: No teratogenic effects.

**Amlodipine Besylate:**

## Effects on fertility

: Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Fertility: NOAEL: 10 mg/kg body weight  
Result: No effects on fertility.

Test Type: Fertility/early embryonic development  
Species: Rabbit  
Application Route: Ingestion  
Fertility: NOAEL: 25 mg/kg body weight  
Result: No effects on fertility.

## Effects on fetal development

: Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Developmental Toxicity: LOAEL: 10 mg/kg body weight  
Result: Effects on fetal development.

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Ingestion  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: No effects on fetal development.

Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Ingestion

**Olmesartan / Amlodipine Besylate / Hydrochlorothiazide Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.10.2019	4944955-00001	Date of first issue: 07.10.2019

---

Developmental Toxicity: LOAEL: 1,6 mg/kg body weight  
Result: Effects on fetal development.  
Remarks: Maternal toxicity observed.

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

Causes damage to organs (Kidney, Parathyroid gland) through prolonged or repeated exposure.

**Components:****Hydrochlorothiazide:**

Target Organs : Kidney, Parathyroid gland  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Cellulose:**

Species : Rat  
NOAEL :  $\geq 9.000$  mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

**Olmesartan:**

Species : Rat  
NOAEL : 2.000 mg/kg  
Application Route : Oral  
Exposure time : 24 Months  
Remarks : No significant adverse effects were reported

**Hydrochlorothiazide:**

Species : Rat, male and female  
LOAEL : 10 mg/kg  
Application Route : Oral  
Exposure time : 2 y  
Target Organs : Kidney, Parathyroid gland

Species : Mouse, male and female  
NOAEL : 300 - 550 mg/kg  
Application Route : Oral  
Exposure time : 2 y  
Remarks : No significant adverse effects were reported

Species : Dog  
: 50 - 200 mg/kg  
Application Route : Oral  
Exposure time : 9 Months  
Target Organs : Parathyroid gland

**Olmesartan / Amlodipine Besylate / Hydrochlorothiazide Formulation**

Version 1.0      Revision Date: 07.10.2019      SDS Number: 4944955-00001      Date of last issue: -  
Date of first issue: 07.10.2019

---

**Amlodipine Besylate:**

Species : Rat  
NOAEL : 15 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Remarks : No significant adverse effects were reported

**Aspiration toxicity**

Not classified based on available information.

**Components:****Hydrochlorothiazide:**

No aspiration toxicity classification

**Experience with human exposure****Components:****Olmesartan:**

Eye contact : Symptoms: Eye irritation  
Ingestion : Symptoms: hypotension  
Remarks: May cause harm to the unborn child.  
Based on Human Evidence

**Hydrochlorothiazide:**

Eye contact : Symptoms: Eye irritation  
Ingestion : Symptoms: Dizziness, Headache, Fatigue, Nausea, Abdominal pain, hypotension, dry mouth, electrolyte imbalance, eye pain

**Amlodipine Besylate:**

Eye contact : Symptoms: Severe irritation  
Ingestion : Symptoms: Nausea, Abdominal pain, Fatigue, Headache, Edema, Palpitation

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Cellulose:**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

**Hydrochlorothiazide:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 500 mg/l  
Exposure time: 96 h

**Olmesartan / Amlodipine Besylate / Hydrochlorothiazide Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.10.2019	4944955-00001	Date of first issue: 07.10.2019

---

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 500 mg/l  
Exposure time: 48 h

**Amlodipine Besylate:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2,7 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,2 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : IC50 (Pseudokirchneriella subcapitata (green algae)): 5,6 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

**Persistence and degradability****Components:****Cellulose:**

Biodegradability : Result: Readily biodegradable.

**Hydrochlorothiazide:**

Stability in water : Hydrolysis: 46,2 %(96 h)

**Bioaccumulative potential****Components:****Amlodipine Besylate:**

Partition coefficient: n-octanol/water : log Pow: 3

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**



# Olmesartan / Amlodipine Besylate / Hydrochlorothiazide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.10.2019	4944955-00001	Date of first issue: 07.10.2019

---

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

#### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

#### **Domestic regulation**

#### **ANTT**

Not regulated as a dangerous good

---

## SECTION 15. REGULATORY INFORMATION

### **Safety, health and environmental regulations/legislation specific for the substance or mixture**

National List of Carcinogenic Agents for Humans - (LINACH)

Group 2B: Possibly carcinogenic to humans	
Hydrochlorothiazide	58-93-5

Brazil. Ordinance No. 1274 on the control and monitoring of chemicals. : Not applicable

### **International Regulations**

**The ingredients of this product are reported in the following inventories:**

: not determined

---

## SECTION 16. OTHER INFORMATION

### **Further information**

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### **Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

## Olmesartan / Amlodipine Besylate / Hydrochlorothiazide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.10.2019	4944955-00001	Date of first issue: 07.10.2019

---

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8