

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.10	09/30/2023	402734-00020	Date of first issue: 12/10/2015

### SECTION 1. IDENTIFICATION

Product name : Ribavirin Liquid Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Germ cell mutagenicity : Category 2  
Reproductive toxicity : Category 1B  
Specific target organ toxicity : Category 1 (Blood)  
- repeated exposure (Oral)

#### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H341 Suspected of causing genetic defects.  
H360Df May damage the unborn child. Suspected of damaging fertility.  
H372 Causes damage to organs (Blood) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves, protective clothing, eye protection

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ribavirin Liquid Formulation

Version 3.10      Revision Date: 09/30/2023      SDS Number: 402734-00020      Date of last issue: 04/04/2023  
Date of first issue: 12/10/2015

and face protection.

### Response:

P308 + P313 IF exposed or concerned: Get medical attention.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Sucrose	.alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl	57-50-1	$\geq 30 - < 60$ *
Propylene glycol	1,2-Propanediol	57-55-6	$\geq 10 - < 30$ *
Glycerine	1,2,3-Propanetriol	56-81-5	$\geq 10 - < 30$ *
Ribavirin	No data available	36791-04-5	$\geq 1 - < 5$ *

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.10	09/30/2023	402734-00020	Date of first issue: 12/10/2015

Most important symptoms and effects, both acute and delayed	: Rinse mouth thoroughly with water. Suspected of causing genetic defects. May damage the unborn child. Suspected of damaging fertility. Causes damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ribavirin Liquid Formulation

Version 3.10      Revision Date: 09/30/2023      SDS Number: 402734-00020      Date of last issue: 04/04/2023  
Date of first issue: 12/10/2015

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapors.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sucrose	57-50-1	TWA	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Total dust)	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m <sup>3</sup>	CA BC OEL
		TWAEV	10 mg/m <sup>3</sup>	CA QC OEL
		TWA	10 mg/m <sup>3</sup>	ACGIH
Propylene glycol	57-55-6	TWA (Va-	50 ppm	CA ON OEL

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ribavirin Liquid Formulation

Version 3.10      Revision Date: 09/30/2023      SDS Number: 402734-00020      Date of last issue: 04/04/2023  
Date of first issue: 12/10/2015

		pour and aerosols)	155 mg/m <sup>3</sup>	
		TWA (aero-sol)	10 mg/m <sup>3</sup>	CA ON OEL
Glycerine	56-81-5	TWA (Mist)	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Mist)	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (Respirable mist)	3 mg/m <sup>3</sup>	CA BC OEL
		TWAEV (Mist)	10 mg/m <sup>3</sup>	CA QC OEL
Ribavirin	36791-04-5	Wipe limit	400 µg/100 cm <sup>2</sup>	Internal
		TWA	40 µg/m <sup>3</sup> (OEB 3)	Internal

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type  
Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.  
Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.10	09/30/2023	402734-00020	Date of first issue: 12/10/2015

engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	clear
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	4.8 - 5.5
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.10	09/30/2023	402734-00020	Date of first issue: 12/10/2015

Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	Not applicable

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
---------------------	---	--

#### Components:

##### Sucrose:

Acute oral toxicity	:	LD50 (Rat): 29,700 mg/kg
---------------------	---	--------------------------

##### Propylene glycol:

Acute oral toxicity	:	LD50 (Rat): 22,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 44.9 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.10	09/30/2023	402734-00020	Date of first issue: 12/10/2015

### Glycerine:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Guinea pig): > 5,000 mg/kg

### Ribavirin:

Acute oral toxicity : LD50 (Rat): 4,116 - 5,584 mg/kg

LD50 (Mouse): > 10,000 mg/kg

LD50 (Dog): >= 1,500 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 1,554 - 1,758 mg/kg

Application Route: Intraperitoneal

LD50 (Mouse): 1,268 mg/kg

Application Route: Intraperitoneal

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Propylene glycol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

#### Glycerine:

Species : Rabbit

Result : No skin irritation

#### Ribavirin:

Remarks : No data available

May irritate skin.

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### Propylene glycol:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.10	09/30/2023	402734-00020	Date of first issue: 12/10/2015

### Glycerine:

Species	:	Rabbit
Result	:	No eye irritation

### Ribavirin:

Remarks	:	No data available May irritate eyes.
---------	---	---

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

### Components:

#### Propylene glycol:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative

### Ribavirin:

Remarks	:	No data available
---------	---	-------------------

### Germ cell mutagenicity

Suspected of causing genetic defects.

### Components:

#### Sucrose:

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
-----------------------	---	---

#### Propylene glycol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	--

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative
----------------------	---	--

### Glycerine:

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.10	09/30/2023	402734-00020	Date of first issue: 12/10/2015

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

### Ribavirin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Rodent cell line  
Result: positive

Test Type: Chromosomal aberration  
Test system: Human lymphocytes  
Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test  
Species: Rat  
Result: negative

Test Type: Mouse Lymphoma  
Species: Mouse  
Result: positive

Test Type: Micronucleus test  
Species: Mouse  
Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

### Carcinogenicity

Not classified based on available information.

### Components:

#### Propylene glycol:

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.10	09/30/2023	402734-00020	Date of first issue: 12/10/2015

### Glycerine:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 2 Years
Result	: negative

### Ribavirin:

Species	: Mouse
Application Route	: Oral
Exposure time	: 6 Months
LOAEL	: 75 mg/kg body weight
Result	: negative
Target Organs	: Blood, Testes
Remarks	: The mechanism or mode of action may not be relevant in humans.

Species	: Rat
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: 10 mg/kg body weight
Result	: negative
Remarks	: The mechanism or mode of action may not be relevant in humans.

Species	: Mouse
Application Route	: Oral
Exposure time	: 18 Months
Result	: negative
Remarks	: The mechanism or mode of action may not be relevant in humans.

### Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

### Components:

#### Propylene glycol:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Result: negative
----------------------	---

Effects on fetal development	: Test Type: Embryo-fetal development Species: Mouse Application Route: Ingestion Result: negative
------------------------------	---

### Glycerine:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
----------------------	---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.10	09/30/2023	402734-00020	Date of first issue: 12/10/2015

---

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **Ribavirin:**

Effects on fertility : Test Type: Fertility  
Species: Rat, male  
Application Route: Intraperitoneal injection  
Fertility: LOAEL: < 20 mg/kg body weight  
Symptoms: Reduced fertility  
Result: positive

Test Type: Fertility  
Species: Mouse, male  
Application Route: Oral  
Fertility: LOAEL: 35 mg/kg body weight  
Symptoms: Reduced fertility  
Result: positive

Test Type: Fertility  
Species: Rat, females  
Application Route: Oral  
Fertility: NOAEL: 10 mg/kg body weight  
Result: Animal testing did not show any effects on fertility.

Test Type: Fertility  
Species: Rat, male  
Application Route: Oral  
Fertility: NOAEL: 160 mg/kg body weight  
Result: Animal testing did not show any effects on fertility.

Effects on fetal development : Test Type: Development  
Species: Rat, female  
Application Route: Oral  
Developmental Toxicity: LOAEL: <= 1 mg/kg body weight  
Symptoms: Reduced body weight, Reduced number of viable fetuses., Skeletal malformations.  
Result: Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Development  
Species: Rabbit, female  
Application Route: Oral  
General Toxicity Maternal: LOAEL: 1 mg/kg body weight  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Symptoms: Reduced body weight, Skeletal malformations.  
Result: Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Development  
Species: Hamster

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.10	09/30/2023	402734-00020	Date of first issue: 12/10/2015

Application Route: Oral  
Developmental Toxicity: LOAEL: 2.5 mg/kg body weight  
Symptoms: Skeletal and visceral variations ., Total Resorptions / resorption rate.  
Result: Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 0.3 mg/kg body weight  
Embryo-fetal toxicity.: LOAEL: 1 mg/kg body weight  
Symptoms: Skeletal malformations.  
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

### STOT-single exposure

Not classified based on available information.

#### Components:

##### **Ribavirin:**

Assessment : May cause respiratory irritation.

### STOT-repeated exposure

Causes damage to organs (Blood) through prolonged or repeated exposure if swallowed.

#### Components:

##### **Ribavirin:**

Routes of exposure : Ingestion  
Target Organs : Blood  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

##### **Propylene glycol:**

Species : Rat, male  
NOAEL :  $\geq 1,700$  mg/kg  
Application Route : Ingestion  
Exposure time : 2 y

##### **Glycerine:**

Species : Rat  
NOAEL : 0.167 mg/l

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.10	09/30/2023	402734-00020	Date of first issue: 12/10/2015

LOAEL : 0.622 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 13 Weeks

Species : Rat  
NOAEL : 8,000 - 10,000 mg/kg  
Application Route : Ingestion  
Exposure time : 2 y

Species : Rabbit  
NOAEL : 5,040 mg/kg  
Application Route : Skin contact  
Exposure time : 45 Weeks

### Ribavirin:

Species : Monkey  
LOAEL : 30 mg/kg  
Exposure time : 10 d  
Target Organs : Blood, Gastrointestinal tract

Species : Rat  
NOAEL : 7.6 mg/kg  
Application Route : Inhalation  
Exposure time : 90 d  
Target Organs : Blood, Lungs

Species : Dog  
NOAEL : 5 mg/kg  
Application Route : Oral  
Exposure time : 1 y  
Target Organs : Blood, Gastrointestinal tract

Species : Mouse  
NOAEL : 20 mg/kg  
Application Route : Oral  
Exposure time : 18 Months  
Target Organs : Blood, Cardio-vascular system

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### Ribavirin:

Inhalation : Symptoms: Headache, Dizziness  
Remarks: Based on Human Evidence  
Skin contact : Remarks: May cause eye irritation.  
Based on Human Evidence  
Eye contact : Remarks: May cause eye irritation.  
Based on Human Evidence  
Ingestion : Symptoms: blood effects, immune system effects, anorexia,

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.10	09/30/2023	402734-00020	Date of first issue: 12/10/2015

Dizziness, insomnia, Fatigue, Headache, Itching, Rash, liver function change, Gastrointestinal disturbance

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Propylene glycol:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l Exposure time: 7 d
Toxicity to microorganisms	:	NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h

##### **Glycerine:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,955 mg/l Exposure time: 48 h
Toxicity to microorganisms	:	NOEC (Pseudomonas putida): > 10,000 mg/l Exposure time: 16 h Method: DIN 38 412 Part 8

##### **Ribavirin:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 119 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 117 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 119 mg/l Exposure time: 96 h Method: OECD Test Guideline 201  NOEC (Pseudokirchneriella subcapitata (green algae)): 6.9 mg/l

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.10	09/30/2023	402734-00020	Date of first issue: 12/10/2015

Exposure time: 96 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

##### Propylene glycol:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 98.3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

##### Glycerine:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 %  
Exposure time: 30 d  
Method: OECD Test Guideline 301D

### Bioaccumulative potential

#### Components:

##### Sucrose:

Partition coefficient: n-octanol/water : Pow: < 1

##### Propylene glycol:

Partition coefficient: n-octanol/water : log Pow: -1.07  
Method: Regulation (EC) No. 440/2008, Annex, A.8

##### Glycerine:

Partition coefficient: n-octanol/water : log Pow: -1.75

##### Ribavirin:

Partition coefficient: n-octanol/water : log Pow: 0.971

### Mobility in soil

No data available

### Other adverse effects

No data available



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.10	09/30/2023	402734-00020	Date of first issue: 12/10/2015

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### TDG

Not regulated as a dangerous good

#### Special precautions for user

Not applicable

### SECTION 15. REGULATORY INFORMATION

#### The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.10	09/30/2023	402734-00020	Date of first issue: 12/10/2015

CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for air-borne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)
CA QC OEL / TWAEV	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
--	---	---

Revision Date	:	09/30/2023
Date format	:	mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Ribavirin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.10	09/30/2023	402734-00020	Date of first issue: 12/10/2015

---

SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8