



Version 4.1	Revision Date: 2023/09/30		S Number: 884-00017	Date of last issue: 2023/04/04 Date of first issue: 2016/01/05
1. PROD	OUCT AND COMPANY IDE	ENT	IFICATION	
Pro	duct name	:	Rocuronium Bro	mide Formulation
Mar	nufacturer or supplier's d	etai	ils	
Con	npany	:	MSD	
Add	Address		126 E. Lincoln A Rahway, New Je	venue ersey U.S.A. 07065
Tele	ephone	:	908-740-4000	
Eme	ergency telephone number	:	1-908-423-6000	
E-m	E-mail address		EHSDATASTEW	/ARD@msd.com
Rec	commended use of the ch	nem	ical and restriction	ons on use
	Recommended use Restrictions on use		Pharmaceutical Not applicable	
2. HAZA	RDS IDENTIFICATION			
GH	S Classification			

Specific target organ toxicity - single exposure		Category 1 (Nervous system, muscle)
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H370 Causes damage to organs (Nervous system, muscle).
Precautionary statements	:	Prevention: P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.
		Response: P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
		Storage:





Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	421884-00017	Date of first issue: 2016/01/05

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

Components

Chemical name	CAS-No.	Concentration (% w/w)
Rocuronium Bromide	119302-91-9	>= 1 -< 3

4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical a vice immediately. When symptoms persist or in all cases of doubt seek medic advice.
If inhaled	: If inhaled, remove to fresh air.
	Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and ple of water.
	Remove contaminated clothing and shoes. Get medical attention.
	Wash clothing before reuse.
	Thoroughly clean shoes before reuse.
In case of eye contact	: Flush eyes with water as a precaution.
	Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting.
	Get medical attention.
	Rinse mouth thoroughly with water.
Most important symptoms	Never give anything by mouth to an unconscious person. Causes damage to organs.
and effects, both acute and delayed	. Causes damage to organs.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
	: Treat symptomatically and supportively.

Suitable extinguishing media :

Water spray Alcohol-resistant foam Carbon dioxide (CO2)





Version 4.1	Revision Date: 2023/09/30		9S Number: 1884-00017	Date of last issue: 2023/04/04 Date of first issue: 2016/01/05
Unsui media	table extinguishing	:	Dry chemical None known.	
	fic hazards during fire-	:	Exposure to cor	nbustion products may be a hazard to health.
	dous combustion prod-	:	Carbon oxides	
Speci ods	fic extinguishing meth-	:	cumstances and Use water spray	ng measures that are appropriate to local cir- d the surrounding environment. / to cool unopened containers. aged containers from fire area if it is safe to do
	al protective equipment efighters	:	In the event of f	ire, wear self-contained breathing apparatus. rotective equipment.
6. ACCIDE	ENTAL RELEASE MEAS	SUF	RES	
tive e	nal precautions, protec- quipment and emer- procedures	:	Follow safe han	otective equipment. dling advice (see section 7) and personal pro- nt recommendations (see section 8).
Enviro	onmental precautions	:	Prevent further Prevent spreadi barriers). Retain and disp	o the environment. leakage or spillage if safe to do so. ng over a wide area (e.g. by containment or oil ose of contaminated wash water. s should be advised if significant spillages lined.
	ods and materials for inment and cleaning up	:	For large spills, ment to keep m be pumped, sto Clean up remain bent. Local or nationa posal of this ma employed in the mine which regu Sections 13 and	ert absorbent material. provide dyking or other appropriate contain- aterial from spreading. If dyked material can re recovered material in appropriate container. hing materials from spill with suitable absor- al regulations may apply to releases and dis- terial, as well as those materials and items e cleanup of releases. You will need to deter- ulations are applicable. d 15 of this SDS provide information regarding mational requirements.
	ING AND STORAGE			

7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation Advice on safe handling		Use only with adequate ventilation. Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes.



Version 4.1	Revision Date: 2023/09/30	SDS Num 421884-0		Date of last issue: 2023/04/04 Date of first issue: 2016/01/05	_
	tions for safe storage ials to avoid	Wash Handl practi sessn Do no Take enviro : Keep Store Store : Do no	skin thorou e in accord ce, based o hent t eat, drink care to prevonment. in properly locked up. in accordar	or repeated contact with skin. Ighly after handling. ance with good industrial hygiene and safety in the results of the workplace exposure as- or smoke when using this product. vent spills, waste and minimize release to the labelled containers. Ince with the particular national regulations. the following product types: agents	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Material

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Rocuronium Bromide	119302-91-9	TLV-C	4 µg/m3 (OEB 4)	Internal
		Wipe limit	40 µg/100 cm ²	Internal

Engineering measures :	All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the poten- tial exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.
Personal protective equipment	t i i i i i i i i i i i i i i i i i i i
Respiratory protection :	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.
Filter type : Hand protection	Particulates type

Remarks Eye protection		Consider double gloving. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat.

: Chemical-resistant gloves



Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	421884-00017	Date of first issue: 2016/01/05
Hygie	ene measures	task being per posable suits) Use appropria contaminated : If exposure to eye flushing sy ing place. When using do Wash contami The effective of engineering co appropriate de industrial hygie	y garments should be used based upon the formed (e.g., sleevelets, apron, gauntlets, dis- to avoid exposed skin surfaces. te degowning techniques to remove potentially clothing. chemical is likely during typical use, provide ystems and safety showers close to the work- o not eat, drink or smoke. nated clothing before re-use. operation of a facility should include review of ontrols, proper personal protective equipment, gowning and decontamination procedures, ene monitoring, medical surveillance and the strative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	suspension
Colour	:	colourless
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	5 - 8 (20 °C)
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	100 °C
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available



Version 4.1	Revision Date: 2023/09/30		S Number: 1884-00017	Date of last issue: 2023/04/04 Date of first issue: 2016/01/05
De	nsity	:	No data availabl	e
Solubility(ies) Water solubility		:	No data availabl	e
	rtition coefficient: n-	:	Not applicable	
	anol/water to-ignition temperature	:	No data availabl	e
De	composition temperature	:	No data availabl	e
Vis	cosity Viscosity, kinematic	:	No data availabl	e
Ex	plosive properties	:	Not explosive	
Ox	idizing properties	:	The substance c	r mixture is not classified as oxidizing.
Мс	ecular weight	:	No data availabl	9
Pa	rticle size	:	Not applicable	

10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products		None known. Oxidizing agents No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
Acute toxicity		

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist



ersion I	Revision Date: 2023/09/30		0S Number: 1884-00017	Date of last issue: 2023/04/04 Date of first issue: 2016/01/05
			Method: Calculati	ion method
Acute	dermal toxicity	:	Acute toxicity esti Method: Calculati	imate: > 2,000 mg/kg ion method
Comp	oonents:			
Rocu	ronium Bromide:			
Acute	oral toxicity	:	LD50 (Rat): 2,000) mg/kg
			LD50 (Rat): 200 r	mg/kg
Acute	inhalation toxicity	:	LC50 (Rat, female Exposure time: 1 Test atmosphere: Remarks: Based	ĥ
			LC50 (Rat, male) Exposure time: 4 Test atmosphere: Remarks: Based	h
			LC50 (Rat, female Exposure time: 4 Test atmosphere: Remarks: Based	h
			LC50 (Rat): 1.09 Exposure time: 1 Test atmosphere: Remarks: Based	h
Acute	dermal toxicity	:	Acute toxicity esti Method: Expert ju	imate: 1,100 mg/kg udgement
	toxicity (other routes of istration)	:	LD50 (Rat): 0.3 m Application Route	
			LD50 (Dog): 135 Application Route Target Organs: C	

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.





ersion 1	Revision Date: 2023/09/30		S Number: 1884-00017	Date of last issue: 2023/04/04 Date of first issue: 2016/01/05
-	iratory sensitisation lassified based on avai	lable	information.	
	cell mutagenicity lassified based on avai	lable	information.	
Com	ponents:			
Rocu	ronium Bromide:			
Geno	toxicity in vitro	:	Test Type: Ba Result: negati	cterial reverse mutation assay (AMES) ve
				nromosomal aberration Human lymphocytes ve
				vitro mammalian cell gene mutation test Chinese hamster ovary cells ve
Geno	toxicity in vivo	:	Test Type: Mi Species: Rat Cell type: Bon Result: negati	
	i nogenicity lassified based on avai	lahla	information	
Repro Not c	oductive toxicity lassified based on avai ponents:			
Rocu	ronium Bromide:			
	ts on foetal develop-	:	Developmenta Result: Embry	evelopment oute: Intravenous al Toxicity: NOAEL: 0.05 mg/kg body weight rotoxic effects and adverse effects on the off etected only at high maternally toxic doses
			Developmenta Result: Embry	evelopment oute: Intravenous al Toxicity: LOAEL: 0.3 mg/kg body weight rotoxic effects and adverse effects on the off etected only at high maternally toxic doses
			Developmenta	



Version 4.1	Revision Date: 2023/09/30	SDS Number: 421884-00017	Date of last issue: 2023/04/04 Date of first issue: 2016/01/05
	roductive toxicity - As- ment	: Suspected of	damaging the unborn child.
STO	T - single exposure		
	ses damage to organs (Nervous system, mi	uscle).
Proc	duct:		
Targ	et Organs essment		em, muscle duce significant health effects in animals at con- 1.0 mg/l/4h or less.
Com	ponents:		
Roc	uronium Bromide:		
	let Organs essment	: Nervous syst : Causes dama	em, muscle age to organs.
-	eated dose toxicity nponents:		
Roc	uronium Bromide:		
		: Cat : 2.5 - 12.5 mg : Intravenous : No significant	/kg adverse effects were reported
Expo		: Cat : 10.8 mg/kg : Intravenous : 4 Weeks : No significant	adverse effects were reported
Expo		: Dog : 18 mg/kg : Intravenous : 4 Weeks : No significant	adverse effects were reported
Expo		: Rat : 1.3 - 2.6 mg/ł : Subcutaneou : 1 Weeks : No significant	

Aspiration toxicity

Not classified based on available information.



Version 4.1	Revision Date: 2023/09/30		DS Number: 1884-00017	Date of last issue: 2023/04/04 Date of first issue: 2016/01/05			
Expe	rience with human ex	posi	ıre				
Prod		•					
	Inhalation :		Symptoms: The most common side effects are:, Cardiac ar- rhythmias, Gastrointestinal disturbance, Asthma, Rash, pruri- tis, Weakness, paralysis, hypertension, hypotension, Fatigue				
<u>Com</u>	ponents:						
Rocu	Ironium Bromide:						
Inhal	ation	:	rhythmias, Gas	e most common side effects are:, Cardiac ar- trointestinal disturbance, Asthma, Rash, pruri- paralysis, hypertension, hypotension, Fatigue			
Skin	contact	:		produce an allergic reaction.			
12. ECOL	OGICAL INFORMATIC	N					
No da Pers i	oxicity ata available istence and degradabi ata available	ility					
	ccumulative potential ata available						
	lity in soil ata available						
••	r adverse effects ata available						
13. DISPO	SAL CONSIDERATIO	NS					
Wast	osal methods e from residues aminated packaging	:	Dispose of in a Empty contained dling site for re	of waste into sewer. ccordance with local regulations. ers should be taken to an approved waste han- cycling or disposal. e specified: Dispose of as unused product.			
14. TRAN	SPORT INFORMATIO	N					
Inter	national Regulations						
Prope Class	umber er shipping name	:	Not applicable Not applicable Not applicable				

Labels



Version 4.1	Revision Date: 2023/09/30	 DS Number: 1884-00017	Date of last issue: 2023/04/04 Date of first issue: 2016/01/05
UN/I Prop Clas Subs Pack Labe Pack aircr Pack	sidiary risk king group els king instruction (cargo	 Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable	
UN r Prop Clas Subs Pack Labe EmS Mari	sidiary risk king group els 5 Code ne pollutant	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable	201 72/79 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use	:	Not applicable
Prohibited substances	:	Not applicable
Restricted substances	:	Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials



Version 4.1	Revision Date: 2023/09/30		DS Number: 21884-00017	Date of last issue: 2023/04/04 Date of first issue: 2016/01/05			
Type of hazardous materials subject to distribution and : Not applicable control, Annex I							
Type of hazardous materials subject to distribution and : Not applicable control, Annex II							
The components of this product are reported in the following inventories: AICS : not determined							
DSL	DSL		not determined				
IECSC		:	not determined				
16. OTHER INFORMATION							
Rev	Revision Date		2023/09/30				
Fur	ther information						
	burces of key data used to : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/						
Date	e format	:	yyyy/mm/dd				

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No





Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.1	2023/09/30	421884-00017	Date of first issue: 2016/01/05

1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN