according to the Hazardous Products Regulations



Tafluprost Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.16 09/28/2024 558015-00017 Date of first issue: 03/15/2016

SECTION 1. IDENTIFICATION

Product name : Tafluprost Formulation Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Glycerine	1,2,3- Propanetriol	56-81-5	>= 1 - < 5 *
Tafluprost	No data availa- ble	209860-87-7	>= 0 - < 0.1 *

^{*} Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

In case of eye contact

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if symptoms occur. Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

according to the Hazardous Products Regulations



Tafluprost Formulation

Version **Revision Date:** SDS Number: Date of last issue: 09/30/2023 09/28/2024 558015-00017 Date of first issue: 03/15/2016 1.16

> Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and None known.

delayed

Protection of first-aiders

No special precautions are necessary for first aid responders.

Notes to physician Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment:

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emergency procedures

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material

according to the Hazardous Products Regulations



Tafluprost Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.16 09/28/2024 558015-00017 Date of first issue: 03/15/2016

can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety

practice, based on the results of the workplace exposure

assessment

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis		
		exposure)	concentration			
Glycerine	56-81-5	TWA (Mist)	10 mg/m ³	CA AB OEL		
		TWA (Mist)	10 mg/m ³	CA BC OEL		
		TWA (Respirable mist)	3 mg/m³	CA BC OEL		
		TWAEV (Mist)	10 mg/m ³	CA QC OEL		
Tafluprost	209860-87-7	TWA	0.002 μg/m3 (OEB 5)	Internal		
	Further information: Skin, Eye					
		Wipe limit	0.02 µg/100 cm ²	Internal		

Engineering measures : Use closed processing systems or containment technologies

to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

according to the Hazardous Products Regulations



Tafluprost Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.16 09/28/2024 558015-00017 Date of first issue: 03/15/2016

No open handling permitted.

Totally enclosed processes and materials transport systems

are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into

the workplace.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Hand protection

Organic vapor Type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aqueous solution

Color : clear

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

according to the Hazardous Products Regulations



Tafluprost Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.16 09/28/2024 558015-00017 Date of first issue: 03/15/2016

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Can react with strong oxidizing agents.

according to the Hazardous Products Regulations



Tafluprost Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.16 09/28/2024 558015-00017 Date of first issue: 03/15/2016

Conditions to avoid : None known. Incompatible materials : Oxidizing agents

Hazardous decomposition : No

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Glycerine:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Guinea pig): > 5,000 mg/kg

Tafluprost:

Acute oral toxicity : LD50 (Rat): 665 mg/kg

LD50 (Rat): > 100 mg/kg

Remarks: No mortality observed at this dose.

Acute toxicity (other routes of :

(Dog): 3 mg/kg

administration)

Application Route: Intravenous

Target Organs: Cardio-vascular system

Skin corrosion/irritation

Not classified based on available information.

Components:

Glycerine:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Glycerine:

Species : Rabbit

Result : No eye irritation

according to the Hazardous Products Regulations



Tafluprost Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.16 09/28/2024 558015-00017 Date of first issue: 03/15/2016

Tafluprost:

Species : Monkey

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Tafluprost:

Test Type : Maximization Test

Routes of exposure : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

Glycerine:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Tafluprost:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

according to the Hazardous Products Regulations



Tafluprost Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.16 09/28/2024 558015-00017 Date of first issue: 03/15/2016

Carcinogenicity

Not classified based on available information.

Components:

Glycerine:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Tafluprost:

Species : Rat

Application Route : Subcutaneous Exposure time : 24 Months Result : negative

Species : Mouse

Application Route : Subcutaneous Exposure time : 18 Months Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Glycerine:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Tafluprost:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Intravenous injection

Fertility: NOAEL: 100 µg/kg Result: No effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Intravenous injection Developmental Toxicity: LOAEL: 10 µg/kg

Result: Malformations were observed., Reduced fetal weight.

Test Type: Embryo-fetal development

according to the Hazardous Products Regulations



Tafluprost Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.16 09/28/2024 558015-00017 Date of first issue: 03/15/2016

Species: Rat

Application Route: Intravenous injection Developmental Toxicity: NOAEL: 3 µg/kg

Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Intravenous injection Developmental Toxicity: LOAEL: 0.03 µg/kg Result: Malformations were observed.

Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Intravenous injection Developmental Toxicity: NOAEL: 0.01 µg/kg

Test Type: Embryo-fetal development

Species: Rat

Application Route: Intravenous injection Developmental Toxicity: LOAEL: 1 µg/kg

Test Type: Embryo-fetal development

Species: Rat

Application Route: Intravenous injection Developmental Toxicity: NOAEL: 0.3 µg/kg

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on development, based on

animal experiments.

STOT-single exposure

Not classified based on available information.

Components:

Tafluprost:

Target Organs : Lungs, Cardio-vascular system Assessment : Causes damage to organs.

STOT-repeated exposure

Not classified based on available information.

Components:

Tafluprost:

Target Organs : Lungs, Cardio-vascular system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Glycerine:

Species : Rat

according to the Hazardous Products Regulations



Tafluprost Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.16 09/28/2024 558015-00017 Date of first issue: 03/15/2016

NOAEL : 0.167 mg/l LOAEL : 0.622 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 13 Weeks

Species : Rat

NOAEL : 8,000 - 10,000 mg/kg

Application Route : Ingestion Exposure time : 2 y

Species : Rabbit

NOAEL : 5,040 mg/kg

Application Route : Skin contact

Exposure time : 45 Weeks

Tafluprost:

Species : Rat

LOAEL : 0.01 mg/kg
Application Route : Intravenous
Exposure time : 6 Months

Target Organs : Cardio-vascular system, Blood, Bone marrow, Kidney, Liver,

spleen

Species : Dog

NOAEL : 0.0001 mg/kg
LOAEL : 0.001 mg/kg
Application Route : Intravenous
Exposure time : 39 Weeks

Target Organs : Cardio-vascular system, Eye

Symptoms : Dilatation of the pupil

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Tafluprost:

Eye contact : Symptoms: dryness of the eyes, Blurred vision

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Glycerine:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,955 mg/l

Exposure time: 48 h

according to the Hazardous Products Regulations



Tafluprost Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.16 09/28/2024 558015-00017 Date of first issue: 03/15/2016

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 10,000 mg/l

Exposure time: 16 h Method: DIN 38 412 Part 8

Persistence and degradability

Components:

Glycerine:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92 % Exposure time: 30 d

Method: OECD Test Guideline 301D

Bioaccumulative potential

Components:

Glycerine:

Partition coefficient: n-

log Pow: -1.75

octanol/water

Tafluprost:

Partition coefficient: n-

octanol/water

log Pow: 4.5

Mobility in soilNo data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

according to the Hazardous Products Regulations



Tafluprost Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.16 09/28/2024 558015-00017 Date of first issue: 03/15/2016

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

CA AB OEL / TWA : 8-hour Occupational exposure limit CA BC OEL / TWA : 8-hour time weighted average

CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant: DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk, IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect

according to the Hazardous Products Regulations



Tafluprost Formulation

Version Revision Date: SDS Number: Date of last issue: 09/30/2023 1.16 09/28/2024 558015-00017 Date of first issue: 03/15/2016

Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to

compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 09/28/2024 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8