

**Timolol / Dorzolamide Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04/09/2022  
5.8                10/01/2022              28796-00020            Date of first issue: 11/06/2014

---

**SECTION 1. IDENTIFICATION**

Product name                            : Timolol / Dorzolamide Formulation  
Other means of identification        : No data available

**Manufacturer or supplier's details**

Company name of supplier        : Merck & Co., Inc  
Address                                 : 126 E. Lincoln Avenue  
    : Rahway, New Jersey U.S.A. 07065  
Telephone                            : 908-740-4000  
Emergency telephone                : 1-908-423-6000  
E-mail address                        : EHSDATASTEWARD@merck.com

**Recommended use of the chemical and restrictions on use**


Recommended use                    : Pharmaceutical  
  
Restrictions on use                  : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the Hazardous Products Regulations**

Reproductive toxicity                : Category 2  
  
Specific target organ toxicity        : Category 1 (Cardio-vascular system, Central nervous system,  
- repeated exposure                    : Gastrointestinal tract, Lungs)

**GHS label elements**

Hazard pictograms                    : 

Signal Word                            : Danger

Hazard Statements                    : H361d Suspected of damaging the unborn child.  
    : H372 Causes damage to organs (Cardio-vascular system,  
    : Central nervous system, Gastrointestinal tract, Lungs) through  
    : prolonged or repeated exposure.

Precautionary Statements         : **Prevention:**  
    : P201 Obtain special instructions before use.  
    : P202 Do not handle until all safety precautions have been read  
    : and understood.  
    : P260 Do not breathe mist or vapors.  
    : P264 Wash skin thoroughly after handling.  
    : P270 Do not eat, drink or smoke when using this product.  
    : P280 Wear protective gloves, protective clothing, eye protection  
    : and face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical attention.

## Timolol / Dorzolamide Formulation

Version 5.8      Revision Date: 10/01/2022      SDS Number: 28796-00020      Date of last issue: 04/09/2022  
 Date of first issue: 11/06/2014

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents and container to an approved waste disposal plant.

**Other hazards**

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Dorzolamide	No data available	130693-82-2	$\geq 1 - < 5$ *
(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate	(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate	26921-17-5	$\geq 0.1 - < 1$ *

\* Actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
 Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Suspected of damaging the unborn child.  
 Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

## Timolol / Dorzolamide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
5.8	10/01/2022	28796-00020	Date of first issue: 11/06/2014

---

Notes to physician : when the potential for exposure exists (see section 8).  
: Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Sulfur oxides  
Hydrogen chloride

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## Timolol / Dorzolamide Formulation

Version 5.8      Revision Date: 10/01/2022      SDS Number: 28796-00020      Date of last issue: 04/09/2022  
 Date of first issue: 11/06/2014

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe mist or vapors.  
 Do not swallow.  
 Avoid contact with eyes.  
 Avoid prolonged or repeated contact with skin.  
 Wash skin thoroughly after handling.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Self-reactive substances and mixtures  
 Organic peroxides  
 Explosives  
 Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Dorzolamide	130693-82-2	TWA	10 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: Eye				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate	26921-17-5	TWA	10 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: Eye, Skin				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
 Minimize open handling.

**Timolol / Dorzolamide Formulation**

Version 5.8      Revision Date: 10/01/2022      SDS Number: 28796-00020      Date of last issue: 04/09/2022  
Date of first issue: 11/06/2014

---

**Personal protective equipment**

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving.
- Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance : liquid
- Color : colorless
- Odor : No data available
- Odor Threshold : No data available
- pH : 5.6
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : No data available
- Evaporation rate : No data available
- Flammability (solid, gas) : Not applicable

**Timolol / Dorzolamide Formulation**

Version 5.8      Revision Date: 10/01/2022      SDS Number: 28796-00020      Date of last issue: 04/09/2022  
Date of first issue: 11/06/2014

---

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1.02

Density : No data available

Solubility(ies)  
Water solubility : soluble

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact

## Timolol / Dorzolamide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
5.8	10/01/2022	28796-00020	Date of first issue: 11/06/2014

---

Ingestion  
Eye contact

### Acute toxicity

Not classified based on available information.

### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

### Components:

#### Dorzolamide:

Acute oral toxicity : LD50 (Rat): 1,927 mg/kg  
LD50 (Mouse): 1,320 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

#### (S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:

Acute oral toxicity : LD50 (Rat): 1,000 mg/kg  
LD50 (Mouse): 1,140 mg/kg

Acute toxicity (other routes of administration) : LD50 (Mouse): 300 mg/kg  
Application Route: Intraperitoneal

LD50 (Mouse): 800 mg/kg  
Application Route: Subcutaneous

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### (S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:

Species : Rabbit  
Method : Draize Test  
Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### Dorzolamide:

Species : Monkey  
Result : Mild eye irritation

#### (S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:

Species : Rabbit

## Timolol / Dorzolamide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
5.8	10/01/2022	28796-00020	Date of first issue: 11/06/2014

---

Result : Mild eye irritation

Species : Dog

Result : No eye irritation

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

#### Components:

##### Dorzolamide:

Test Type : Maximization Test

Routes of exposure : Skin contact

Species : Guinea pig

Result : Weak sensitizer

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Dorzolamide:

Genotoxicity in vitro : Test Type: Chromosomal aberration  
Result: negative

Test Type: Alkaline elution assay  
Test system: rat hepatocytes  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster fibroblasts  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay  
Species: Mouse  
Result: negative

##### **(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Method: OECD Test Guideline 474  
Result: negative



**Timolol / Dorzolamide Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04/09/2022  
5.8                10/01/2022              28796-00020            Date of first issue: 11/06/2014

---

**Carcinogenicity**

Not classified based on available information.

**Components:****Dorzolamide:**

Species                                : Rat, male  
Application Route                    : Oral  
Exposure time                        : 2 Years  
    : 20 mg/kg body weight  
Result                                    : negative  
Remarks                                : The mechanism or mode of action may not be relevant in humans.

Species                                : Mouse  
Application Route                    : Oral  
Exposure time                        : 21 month(s)  
Result                                    : negative

**(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:**

Species                                : Rat  
Application Route                    : Oral  
Exposure time                        : 2 Years  
LOAEL                                    : 300 mg/kg body weight  
Result                                    : negative  
Target Organs                         : Adrenal gland  
Remarks                                : The significance of these findings for humans is not certain.

Species                                : Mouse, female  
Application Route                    : Oral  
Exposure time                        : 18 Months  
LOAEL                                    : 500 mg/kg body weight  
Result                                    : negative  
Target Organs                         : Lungs, Mammary gland, Uterus (including cervix)  
Remarks                                : The significance of these findings for humans is not certain.

Carcinogenicity - Assessment       : Weight of evidence does not support classification as a carcinogen

**Reproductive toxicity**

Suspected of damaging the unborn child.

**Components:****Dorzolamide:**

Effects on fertility                    : Test Type: Fertility  
    : Species: Rat, male and female  
    : Application Route: Oral  
    : Fertility: NOAEL: 7.5 mg/kg body weight  
    : Result: Animal testing did not show any effects on fertility.

Effects on fetal development        : Test Type: Development  
    : Species: Rabbit

## Timolol / Dorzolamide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
5.8	10/01/2022	28796-00020	Date of first issue: 11/06/2014

---

Application Route: Oral  
 Developmental Toxicity: NOAEL: 1 mg/kg body weight  
 Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Test Type: Development  
 Species: Rabbit  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 2.5 mg/kg body weight  
 Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

**(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:**

Effects on fertility : Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: Oral  
 Fertility: NOAEL Mating/Fertility: 150 mg/kg body weight  
 Early Embryonic Development: NOAEL F1: 150 mg/kg body weight

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rabbit  
 Developmental Toxicity: LOAEL F1: 50 mg/kg body weight  
 Result: Some evidence of adverse effects on development, based on animal experiments.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

Causes damage to organs (Cardio-vascular system, Central nervous system, Gastrointestinal tract, Lungs) through prolonged or repeated exposure.

**Product:**

Target Organs : Cardio-vascular system, Central nervous system, Gastrointestinal tract, Lungs  
 Assessment : Causes damage to organs through prolonged or repeated exposure.

**Components:****Dorzolamide:**

Target Organs : Central nervous system, Gastrointestinal tract, Bone, Blood, Bladder  
 Assessment : May cause damage to organs through prolonged or repeated exposure.

**(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:**

Target Organs : Lungs, Cardio-vascular system  
 Assessment : Causes damage to organs through prolonged or repeated

## Timolol / Dorzolamide Formulation

Version 5.8      Revision Date: 10/01/2022      SDS Number: 28796-00020      Date of last issue: 04/09/2022  
Date of first issue: 11/06/2014

---

exposure.

**Repeated dose toxicity****Components:****Dorzolamide:**

Species : Rat  
NOAEL : 0.05 mg/kg  
Application Route : Oral  
Target Organs : Bladder, Kidney

Species : Dog  
NOAEL : 0.05 mg/kg  
LOAEL : 2 mg/kg  
Application Route : Oral  
Exposure time : 1 y  
Target Organs : Gastrointestinal tract, Bone, Blood

Species : Monkey  
NOAEL : 0.05 mg/kg  
Exposure time : 1 y  
Target Organs : Gastrointestinal tract, Bone, Blood

**(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:**

Species : Rat  
NOAEL : 25 mg/kg  
Application Route : Oral  
Exposure time : 67 Weeks

Species : Dog  
NOAEL : 10 mg/kg  
Application Route : Oral  
Exposure time : 54 Weeks  
Target Organs : Kidney

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Product:**

Eye contact : Symptoms: The most common side effects are:, bitter taste, burning or stinging of the eye, Blurred vision, Abdominal pain, Dizziness, digestive disorder, eye pain, Headache, hypertension, Nausea, upper respiratory tract infection

**Components:****Dorzolamide:**

Eye contact : Symptoms: burning or stinging of the eye, Blurred vision, tearing, asthenia, bitter taste, Nausea, dry mouth, Headache

**(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:**

## Timolol / Dorzolamide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
5.8	10/01/2022	28796-00020	Date of first issue: 11/06/2014

Eye contact	:	Symptoms: burning or stinging of the eye, dryness of the eyes, Headache, Nausea, Dizziness, dry mouth, changes in libido, hair loss, Allergic reactions
Ingestion	:	Symptoms: Headache, Fatigue, Respiratory disorders, Gastrointestinal discomfort, Allergic reactions, Rash, hair loss, altered mental status, Dizziness, changes in libido

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Dorzolamide:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 699 mg/l Exposure time: 48 h
Toxicity to microorganisms	:	EC50 (Natural microorganism): > 800 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

##### **(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 411 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 161 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to microorganisms	:	EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition  EC50 (Photobacterium phosphoreum): > 1,800 mg/l

#### Persistence and degradability

##### Components:

##### **Dorzolamide:**

Biodegradability	:	Result: not rapidly degradable Biodegradation: 5 % Exposure time: 28 d Method: OECD Test Guideline 314
------------------	---	---

##### **(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:**

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 30 d
------------------	---	--

**Timolol / Dorzolamide Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
5.8	10/01/2022	28796-00020	Date of first issue: 11/06/2014

---

Stability in water : Hydrolysis: 0 %(61 d)  
Method: FDA 3.09

**Bioaccumulative potential****Components:****Dorzolamide:**

Partition coefficient: n- : log Pow: 0.292  
octanol/water

**(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:**

Partition coefficient: n- : log Pow: 1.48  
octanol/water

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste  
handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****TDG**

Not regulated as a dangerous good

**Special precautions for user**

Not applicable

---

**Timolol / Dorzolamide Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
5.8	10/01/2022	28796-00020	Date of first issue: 11/06/2014

---

**SECTION 15. REGULATORY INFORMATION**

**The ingredients of this product are reported in the following inventories:**

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

---

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 10/01/2022  
Date format : mm/dd/yyyy

## Timolol / Dorzolamide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
5.8	10/01/2022	28796-00020	Date of first issue: 11/06/2014

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8