according to the Hazardous Products Regulations



# **Vericiguat Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 5598512-00009 Date of first issue: 03/25/2020

#### **SECTION 1. IDENTIFICATION**

Product name : Vericiguat Formulation Other means of identification : No data available

## Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

### Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

### GHS classification in accordance with the Hazardous Products Regulations

Specific target organ toxicity

- repeated exposure (Oral)

: Category 1 (Cardio-vascular system)

#### **GHS** label elements

Hazard pictograms



Signal Word : Danger

Hazard Statements : H372 Causes damage to organs (Cardio-vascular system)

through prolonged or repeated exposure if swallowed.

Precautionary Statements : Prevention:

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Response:

P314 Get medical attention if you feel unwell.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

## Other hazards

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

according to the Hazardous Products Regulations



# Vericiguat Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04/04/2023 09/30/2023 5598512-00009 Date of first issue: 03/25/2020 2.1

May form combustible dust concentrations in air during processing, handling or other means.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Cellulose	No data availa- ble	9004-34-6	>= 30 - < 60 *
Vericiguat	No data availa- ble	1350653-20-1	>= 1 - < 5 *
Magnesium stearate	Octadecanoic acid, magnesi- um salt (2:1)	557-04-0	>= 1 - < 5 *

<sup>\*</sup> Actual concentration or concentration range is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.

Get medical attention if symptoms occur.

: If in eyes, rinse well with water. In case of eye contact

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting. If swallowed

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

Protection of first-aiders

delayed

Causes damage to organs through prolonged or repeated

exposure if swallowed.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Avoid generating dust; fine dust dispersed in air in sufficient Specific hazards during fire

according to the Hazardous Products Regulations



# **Vericiguat Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 5598512-00009 Date of first issue: 03/25/2020

fighting concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation Advice on safe handling

Use only with adequate ventilation.

Do not breathe dust. Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

according to the Hazardous Products Regulations



# **Vericiguat Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 5598512-00009 Date of first issue: 03/25/2020

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Total dust)	10 mg/m³	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m³	CA BC OEL
		TWAEV (to- tal dust)	10 mg/m³	CA QC OEL
		TWA	10 mg/m <sup>3</sup>	ACGIH
Vericiguat	1350653-20- 1	TWA	4 μg/m3 (OEB 4)	Internal
		Wipe limit	40 μg/100 cm <sup>2</sup>	Internal
Magnesium stearate	557-04-0	TWA	10 mg/m <sup>3</sup>	CA AB OEL
		TWAEV	10 mg/m <sup>3</sup>	CA QC OEL
		TWA (Inhal- able)	10 mg/m³	CA BC OEL
		TWA (Respirable)	3 mg/m³	CA BC OEL
		TWA (Inhalable particulate matter)	10 mg/m³	ACGIH
		TWA (Respirable particulate	3 mg/m³	ACGIH

according to the Hazardous Products Regulations



# Vericiguat Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04/04/2023 09/30/2023 5598512-00009 Date of first issue: 03/25/2020 2.1

matter)

**Engineering measures** Containment technologies suitable for controlling compounds

are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from

stationary container, ventilated enclosure, etc.).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

Personal protective equipment

If adequate local exhaust ventilation is not available or Respiratory protection

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Particulates type

Hand protection

Material Chemical-resistant gloves

Remarks Consider double gloving.

Wear safety glasses with side shields or goggles. Eye protection

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection Work uniform or laboratory coat.

> Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

If exposure to chemical is likely during typical use, provide Hygiene measures

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES** 

**Appearance** tablet

Color No data available

Odor No data available

according to the Hazardous Products Regulations



# **Vericiguat Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 5598512-00009 Date of first issue: 03/25/2020

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form combustible dust concentrations in air during proce-

ssing, handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

according to the Hazardous Products Regulations



# **Vericiguat Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 5598512-00009 Date of first issue: 03/25/2020

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form combustible dust concentrations in air during

processing, handling or other means. Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

### **Acute toxicity**

Not classified based on available information.

## **Components:**

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Vericiguat:

Acute oral toxicity : LD50 (Rat): > 60 mg/kg

Remarks: No mortality observed at this dose.

LD50 (Dog): > 30 mg/kg

Remarks: No mortality observed at this dose.

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Remarks: Based on data from similar materials

according to the Hazardous Products Regulations



# **Vericiguat Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 5598512-00009 Date of first issue: 03/25/2020

#### Skin corrosion/irritation

Not classified based on available information.

### Components:

### Magnesium stearate:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

### Serious eye damage/eye irritation

Not classified based on available information.

### **Components:**

### Magnesium stearate:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

## Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

## Respiratory sensitization

Not classified based on available information.

### Components:

### Magnesium stearate:

Test Type : Maximization Test Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

## Germ cell mutagenicity

Not classified based on available information.

#### Components:

#### Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)

according to the Hazardous Products Regulations



# **Vericiguat Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 5598512-00009 Date of first issue: 03/25/2020

Species: Mouse

**Application Route: Ingestion** 

Result: negative

Vericiguat:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Mouse Lymphoma

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Application Route: Intraperitoneal

Result: negative

Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

#### Carcinogenicity

Not classified based on available information.

#### **Components:**

#### Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

#### Reproductive toxicity

Not classified based on available information.

## **Components:**

### Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

according to the Hazardous Products Regulations



# **Vericiguat Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 5598512-00009 Date of first issue: 03/25/2020

Effects on fetal development : Test Type: Fertility/early embryonic development

Species: Rat

**Application Route: Ingestion** 

Result: negative

Vericiguat:

Effects on fertility : Test Type: Fertility

Species: Rat

**Application Route: Oral** 

Fertility: NOAEL: 50 mg/kg body weight

Result: No effects on fertility.

Effects on fetal development : Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 50 mg/kg body weight Result: Some evidence of adverse effects on development,

based on animal experiments.

Remarks: Maternal toxicity observed.

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 2.5 mg/kg body weight

Result: Postimplantation loss.

Remarks: Maternal toxicity observed.

Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

### STOT-single exposure

Not classified based on available information.

## STOT-repeated exposure

Causes damage to organs (Cardio-vascular system) through prolonged or repeated exposure if swallowed.

### **Components:**

Vericiguat:

Target Organs : Cardio-vascular system

according to the Hazardous Products Regulations



# **Vericiguat Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 5598512-00009 Date of first issue: 03/25/2020

Assessment : Causes damage to organs through prolonged or repeated

exposure.

## Repeated dose toxicity

## **Components:**

Cellulose:

Species : Rat

NOAEL : >= 9,000 mg/kg

Application Route : Ingestion Exposure time : 90 Days

Vericiguat:

Species : Mouse
NOAEL : 50 mg/kg
Application Route : Oral
Exposure time : 13 Weeks

Remarks : No significant adverse effects were reported

Species : Rat
LOAEL : 15 mg/kg
Application Route : Oral
Exposure time : 4 Weeks

Target Organs : Liver, Prostate, Adrenal gland

Species : Rat

NOAEL : 3 mg/kg

Application Route : Oral

Exposure time : 13 Weeks

Target Organs : small intestine

Species : Rat
NOAEL : 30 mg/kg
Application Route : Oral
Exposure time : 26 Weeks
Target Organs : Kidney

Species : Dog
NOAEL : 2.5 mg/kg
LOAEL : 7.5 mg/kg
Application Route : Oral
Exposure time : 4 Weeks

Target Organs : Kidney, Gastrointestinal tract

Symptoms : Vomiting

Species : Dog
NOAEL : 2.5 mg/kg
LOAEL : 5 mg/kg
Application Route : Oral
Exposure time : 13 Weeks

Symptoms : No adverse effects.

according to the Hazardous Products Regulations



# **Vericiguat Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 5598512-00009 Date of first issue: 03/25/2020

Species : Dog
NOAEL : 5 mg/kg
Application Route : Oral
Exposure time : 39 Weeks

Symptoms : No adverse effects.

Magnesium stearate:

Species : Rat

NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Remarks : Based on data from similar materials

**Aspiration toxicity** 

Not classified based on available information.

**Experience with human exposure** 

Components:

Vericiguat:

Ingestion : Target Organs: Cardio-vascular system

Symptoms: hypotension, Headache, Dizziness, Nausea, Diar-

rhea, Vomiting, anemia, acid reflux, constipation

**SECTION 12. ECOLOGICAL INFORMATION** 

**Ecotoxicity** 

Components:

Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Magnesium stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 48 h Method: DIN 38412

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 47 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

No toxicity at the limit of solubility.

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

according to the Hazardous Products Regulations



# **Vericiguat Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 5598512-00009 Date of first issue: 03/25/2020

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

No toxicity at the limit of solubility.

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l

Exposure time: 16 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

## Persistence and degradability

## **Components:**

Cellulose:

Biodegradability : Result: Readily biodegradable.

Magnesium stearate:

Biodegradability : Result: Not biodegradable

Remarks: Based on data from similar materials

## **Bioaccumulative potential**

#### **Components:**

Vericiguat:

Partition coefficient: n-

octanol/water

log Pow: 2.99

Magnesium stearate:

Partition coefficient: n-

octanol/water

log Pow: > 4

Mobility in soil
No data available

#### Other adverse effects

No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

according to the Hazardous Products Regulations



# **Vericiguat Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.1 09/30/2023 5598512-00009 Date of first issue: 03/25/2020

If not otherwise specified: Dispose of as unused product.

## **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

#### **UNRTDG**

Not regulated as a dangerous good

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **Domestic regulation**

**TDG** 

Not regulated as a dangerous good

### Special precautions for user

Not applicable

#### **SECTION 15. REGULATORY INFORMATION**

### The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

## **SECTION 16. OTHER INFORMATION**

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / TWA : 8-hour, time-weighted average
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average

CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for

according to the Hazardous Products Regulations



# Vericiguat Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04/04/2023 09/30/2023 5598512-00009 Date of first issue: 03/25/2020 2.1

Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States): UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to

compile the Material Safety

**Data Sheet** 

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

**Revision Date** 09/30/2023 Date format mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8